

TOOLS



1935



Indestro Mfg. Corp.
N.KILDARE at SCHUBERT
CHICAGO, U. S. A.



INDEX

	Page No.		Page No.
Alligator Wrench	41	Obstruction Wrenches	6-8
Arbor	46	Oil Can Holders	45
Battery Pliers	10	Piston Expanding Rings	36
Beaters & Whips	49-50	Piston Grooving Tool	36
Belts	52	Piston Pin Tool	31
Bottle Cappers	50	Pliers	10-44
Bottle Opener	50	Plumb Bob	44
Box Wrenches	3-4-5-27	Polishing Stands and Outfits	46-47
Display Board	3	Polishing Wheels	47
Specials	4-21-28-30	Polishing Compound	47
Stamped Steel	27	Pulleys	51
Brake Bands	43	Refrigerator Ratchets	16-25
Brake Lining Tools	43	Rim Tool	49
Brake Shoes	43	Rim Wrenches	28
Brake Wrenches	21-30-31	Saw Table	46
Bushing Removers	29-30-31	Screw Drivers	40
Chevrolet, Wrenches for	28-29	Skimit	49
Chucks	46		
Clamp	43	Sockets	
Commutator Cleaner	40	Chrome Vanadium Steel	9-10-11-15
Connecting Rod Wrenches	21-28-29-30-31	"Cub" $\frac{3}{8}$ " Square Drive	15
Cotter Pin Tool	10	Drag Link	10
Crank Case Wrench	21-30	Drain Plug	11-18
Crank Handles	29-30	For Alemite Fitting	10-24
Cub Wrench Sets	15	Hex Drive	24-25
Display Boards	3-6	Master Square Drive	17-18
Display Cabinet	9	"Midget" $\frac{1}{4}$ " Square Drive	16
Display Cards	40-41-42	"Pee Wee" $\frac{3}{8}$ " Hex. Drive	25
Door Prop	49	Screw Driver	10
Drain Plug Sockets	11-18	Spark Plug	42
Drill Chucks	46	Super Quality Display Cabinet	9
Drill Holders	44	Spark Plug Adaptors	42
Dunlap Whips	50	Spark Plug Sockets	42
End Wrenches		Speed Wrenches	28
Automobile Type	4-6-7-8	Spindle Bushing Tool	29-30-31
Display Board	6	Stamped Flat Wrenches	26-27-29-41-42
Obstruction Type	6-8	Strap Wrench	10
Stamped Steel	26-27-29-41-42	Tap Wrenches	44
Tappet Wrenches	6-8-26	Tappet Wrenches	6-8-26
Fan Belt Wrench	29	Tappet Wrench Sets	8-26
Fender Tools	45	Tee Handle Wrenches	28
Firing Cups	42	Thickness Gauge	42
Flat Box Wrenches	27	Tire Valve Tool	40
Ford, Wrenches for	21-30-31	Tool Box	10
Generator Brush Wrench	42	Valve Grinding Tools	37-38-39
Grease Fitting Tools	43	Vises	48
Grease Rams	43	Water Pump Pliers	10
Guarantee	2	Water Pump Wrenches	29-30
Hammers	44-45	Wheel Pullers	32-33-34-35
Handles & Fittings		Whippit	49
Chrome Vanadium Steel	9-10-11	Windshield Wiper	45
Handy—Hex. Drive	24-25		
Master— $\frac{1}{2}$ " Sq. Drive	17-18	Wrench Sets	
Super Quality Display	9	Chevrolet	29
Hub Cap Wrenches	10-29	"Cub"	15
Ignition Sets	16-25-41-42	Ford	21-30-31
Knife Sharpeners	49	Handy Sets	22-23
Knock-Out Wheel Pullers	32-33-34	Ignition	16-25-41-42
License Plate Bolts	49	Master	18-19-20-21
Line Shaft Equipment	52	"Midget"	16
Main Bearing Wrenches	28-29-30-31	"Pee Wee"	25
Midget Wrench Sets	16	Radio	16-25
		Super Quality	12-13-14-15-16

PRINTED IN U.S.A.

N. KILDARE AVE. AT SCHUBERT

INDESTRO
MFG. CORP.

CHICAGO, U.S.A.

Tools for Service



Our Guarantee

Every Indestro Product is fully guaranteed against defects in material or workmanship.

Any Indestro Product will be replaced by the factory if it fails to give the service you have a right to expect from it.

Replacements will be subject to the judgement and discretion of the factory and will not be made where a tool shows unmistakable signs of misuse or abuse.

In other words, you can expect full value from Indestro Products.

INDESTRO MFG. CORP.
N. Kildare Ave. at Schubert
Chicago, Ill.

PRINTED IN U.S.A.

N. KILDARE AVE. AT SCHUBERT



CHICAGO, U.S.A.



SUPER QUALITY BOX WRENCH DISPLAY BOARD

Contains parts as follows

Long 45° Type

Quantity	Wrench No.	Size	Price Each
3	730	3/8" x 7/16"	\$0.51
3	731	1/2" x 9/16"	.57
3	732	5/8" x 11/16"	.66
3	733	3/4" x 25/32"	.75
3	734	13/16" x 7/8"	.90
3	735	15/16" x 1"	1.08

Long 10° Type

3	711	3/8" x 7/16"	\$0.51
3	712	1/2" x 9/16"	.57
3	713	9/16" x 5/8"	.63
3	714	11/16" x 25/32"	.72
3	715	3/4" x 7/8"	.81

Short 45° Type

3	741	3/8" x 7/16"	\$0.48
3	742	1/2" x 9/16"	.54
3	743	5/8" x 11/16"	.60

Short 15° Type

3	751	3/8" x 7/16"	\$0.48
3	752	1/2" x 9/16"	.51
3	753	5/8" x 11/16"	.54

Combination Box Open End Wrenches

3	771	3/8"	\$0.48
3	772	7/16"	.48
3	773	1/2"	.54
3	774	9/16"	.60
3	775	5/8"	.66
3	776	11/16"	.72

Chev. "6" Main Bearing Wrench

2	739	5/8" x 3/4"	\$1.26
---	-----	-------------	--------

Ford Main Bearing Wrench


2	767	9/16" sq. x 3/4" hex.	\$1.20
---	-----	-----------------------	--------

Battery Terminal Wrench

3	750	9/16" x 5/8"	\$0.40
---	-----	--------------	--------

Starter and Manifold Wrench

3	769	9/16" x 5/8"	\$0.81
---	-----	--------------	--------



No. 79 DB Display Board

A real merchandising board with 27 different wrenches, all fast movers. This 19" x 31" Display Board with above assortment of 79 Super Quality Box Wrenches, affords a simple and attractive means of stocking and displaying the most commonly used mechanics' wrenches. The background is substantially made of heavy plywood, finished in copper color and bound by a heavy wood frame of dark green which makes up a beautiful contrast for the white duplex finish of the wrenches. Can be had in either hanger or easel type and is furnished free only with complete assortment listed above.

No. 79-DB

Price \$51.57

Weight 55 lbs.

PRINTED IN U. S. A.

N. KILDARE AVE. AT SCHUBERT



CHICAGO, U. S. A.

Tools for Service



Super Quality Box Wrenches Drop Forged Chrome-Vanadium Steel

Super Quality wrenches are all the name implies. Triple Plated Duplex Finish, accurately formed and carefully designed, in fact, tools that appeal to the exacting user.

Long 45° Type



No.	Size	Length	Price
730	$\frac{3}{8}$ " x $\frac{7}{16}$ "	7 $\frac{7}{8}$ "	\$0.51
731	$\frac{1}{2}$ " x $\frac{9}{16}$ "	8 $\frac{7}{8}$ "	.57
732	$\frac{5}{8}$ " x $\frac{11}{16}$ "	9 $\frac{3}{4}$ "	.66
733	$\frac{3}{4}$ " x $\frac{25}{32}$ "	11 $\frac{1}{8}$ "	.75
734	$\frac{13}{16}$ " x $\frac{7}{8}$ "	12 $\frac{1}{2}$ "	.90
735	$\frac{15}{16}$ " x 1"	14 $\frac{1}{4}$ "	1.08

No. 740—Set of Six Box Wrenches described above
in substantial carton.....Price \$4.47
Weight per Set 4 lbs.

No. 740-5F—Set of five Box Wrenches described
above, with openings up to and including $\frac{7}{8}$ ",
packed in substantial carton.....Price \$3.39
Weight per set 3 lbs.

Short 45° Type



No.	Size	Length	Price
741	$\frac{3}{8}$ " x $\frac{7}{16}$ "	4"	\$0.48
742	$\frac{1}{2}$ " x $\frac{9}{16}$ "	4 $\frac{1}{2}$ "	.54
743	$\frac{5}{8}$ " x $\frac{11}{16}$ "	5"	.60

No. 745—Set of Three Box Wrenches described
above in substantial carton.....Price \$1.62
Weight per Set $\frac{1}{2}$ lb.

"S" Type



No.	Size	Length	Price
761	$\frac{3}{8}$ " x $\frac{7}{16}$ "	5 $\frac{3}{4}$ "	\$0.66
762	$\frac{1}{2}$ " x $\frac{9}{16}$ "	6 $\frac{3}{4}$ "	.72
763	$\frac{9}{16}$ " x $\frac{5}{8}$ "	7 $\frac{3}{4}$ "	.78
764	$\frac{11}{16}$ " x $\frac{25}{32}$ "	8 $\frac{3}{4}$ "	.87
765	$\frac{3}{4}$ " x $\frac{7}{8}$ "	9 $\frac{3}{4}$ "	.99

No. 760—Set of Five Box Wrenches described
above in substantial carton.....Price \$4.02
Weight per Set 2 lbs.

Starter and Manifold Box Wrench



A 12 point special shaped wrench designed to reach those
hard places around starters, manifolds, etc., where it is not
convenient to use other types of wrenches. Openings $\frac{9}{16}$ " and
 $\frac{7}{16}$ ", length 9 $\frac{1}{2}$ ". Weight $\frac{1}{4}$ lb.

No. 769—Starter and Manifold Wrench.....Price \$0.81

Long 10° Type



No.	Size	Length	Price
711	$\frac{3}{8}$ " x $\frac{7}{16}$ "	6 $\frac{3}{4}$ "	\$0.51
712	$\frac{1}{2}$ " x $\frac{9}{16}$ "	7 $\frac{7}{8}$ "	.57
713	$\frac{9}{16}$ " x $\frac{5}{8}$ "	9"	.63
714	$\frac{11}{16}$ " x $\frac{25}{32}$ "	10"	.72
715	$\frac{3}{4}$ " x $\frac{7}{8}$ "	11"	.81

No. 710—Set of Five Box Wrenches described
above in substantial carton.....Price \$3.24
Weight per Set 2 lbs.

Short 15° Type



No.	Size	Length	Price
751	$\frac{3}{8}$ " x $\frac{7}{16}$ "	4"	\$0.48
752	$\frac{1}{2}$ " x $\frac{9}{16}$ "	4 $\frac{1}{2}$ "	.51
753	$\frac{5}{8}$ " x $\frac{11}{16}$ "	5"	.54

No. 755—Set of Three Box Wrenches described
above in substantial carton.....Price \$1.53
Weight per Set $\frac{1}{2}$ lb.


Battery Terminal Wrench

A drop forged wrench with
 $\frac{3}{8}$ " and $\frac{9}{16}$ " 12 point open-
ings for battery terminals
and hold downs. Heavily plated.



No. 750—Battery Wrench.....Price \$0.40
Weight $\frac{1}{4}$ lb.

2-Way Box End Wrenches



A very useful combination of a Box End Wrench, set at a 10°
offset angle on one end, and an Open End Wrench on the
other end. The same size openings on both ends.

No.	Size	Length	Price
771	$\frac{3}{8}$ "	7"	\$0.48
772	$\frac{7}{16}$ "	7 $\frac{1}{4}$ "	.48
773	$\frac{1}{2}$ "	7 $\frac{7}{8}$ "	.54
774	$\frac{9}{16}$ "	8"	.60
775	$\frac{5}{8}$ "	8 $\frac{1}{2}$ "	.66
776	$\frac{11}{16}$ "	8 $\frac{3}{4}$ "	.72

Set of Six Wrenches described above, in carton. Weight, 2 lbs.

No. 770-6F.....Price \$3.48

Same Set as above in leatherette roll.

No. 770-6.....Price \$3.96

Set of Four Wrenches, sizes $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ " and $\frac{5}{8}$ " in carton.

No. 770-4F.....Price \$2.28

Weight 1 $\frac{1}{2}$ lbs.

Same Set as above in leatherette roll.

No. 770-4.....Price \$2.58

PRINTED IN U.S.A.

N. KILDARE AVE. AT SCHUBERT

INDESTRO
MFG CORP

CHICAGO, U.S.A.



Chrome Vanadium Steel Box Wrenches Standard Cadmium Plated

This is a very high quality drop forged Chrome Vanadium Steel Box Wrench. It is well finished with heavy cadmium plate (rust proof) and will meet the requirements of either the car owner or the mechanic who wants a good quality tool.


Long 45° Type

Rust

Proof

Drop

Forged



No.	Size Openings	Length	Weight	Price
0730	3/8"x7/16"	7 5/8"	3 oz.	\$0.38
0731	1/2"x9/16"	8 5/8"	5 oz.	.42
0732	5/8"x11/16"	9 3/4"	6 oz.	.50
0733	3/4"x25/32"	11 1/8"	10 oz.	.56
0734	13/16"x7/8"	12 1/2"	13 oz.	.60
0735	15/16"x1"	14 1/4"	1 lb.	.78

No. 0740—Set of 6 Long 45° Drop Forged Box Wrenches as described and listed above in substantial cloth bag Price \$3.20

Weight 3 1/2 lbs.

No. 0740-5F—Set of five Wrenches as above in carton, with openings up to and including 7/8" Price \$2.42

Weight 3 lbs.

Short Style Box Wrenches

We also offer both the 15° and 45° short type Box Wrenches in plain Cadmium finish of the same quality as the 45° Wrenches listed above.

Short 15° Type



No.	Size	Length	Price
0751	3/8"x7/16"	4"	\$0.35
0752	1/2"x9/16"	4 1/2"	.39
0753	5/8"x11/16"	5"	.48

No. 0755—Set of three 15° Box Wrenches as described above, in carton Price \$1.16

Wt. 1/2 lb.

Average Weight 4 oz. each.

Short 45° Type



No.	Size	Length	Price
0741	3/8"x7/16"	4"	\$0.37
0742	1/2"x9/16"	4 1/2"	.41
0743	5/8"x11/16"	5"	.50

No. 0745—Set of three 45° Box Wrenches as described above, in carton Price \$1.28

Wt. 1/2 lb.

PRINTED IN U.S.A.

N. KILDARE AVE. AT SCHUBERT


INDESTRO
MFG. CORP

CHICAGO, U.S.A.

Tools for Service



SUPER QUALITY OPEN END WRENCH DISPLAY BOARD



No. 100 DB Display Board

A display board which appealingly exhibits a most representative stock of popular Super Quality Open End Wrenches. Substantially constructed of heavy plywood, finished in copper color with green frame; a combination which attractively contrasts with the Duplex Finished Wrenches. The board measures 19" x 31" and may be had in either the hanger or easel type. Furnished free only with complete assortment listed above.

No. 100-DB Display Board Complete.....

Price \$57.93

Weight 50 lbs.

Contains parts as follows

OPEN END WRENCHES

(Automotive Type)

Thin Head Pattern

Quantity	Wrench No.	Size	Price Each
5	1021	$\frac{5}{16}$ " x $1\frac{13}{32}$ "	\$0.36
5	1723	$\frac{3}{8}$ " x $\frac{7}{16}$ "	.36
5	1023	$1\frac{13}{32}$ " x $\frac{1}{2}$ "	.42
5	1725	$\frac{7}{16}$ " x $\frac{1}{2}$ "	.51
5	1725B	$\frac{1}{2}$ " x $\frac{9}{16}$ "	.51
5	1025	$\frac{1}{2}$ " x $1\frac{19}{32}$ "	.51
5	1727	$\frac{9}{16}$ " x $\frac{5}{8}$ "	.57
5	1027	$1\frac{19}{32}$ " x $1\frac{11}{16}$ "	.57
5	1729	$\frac{5}{8}$ " x $\frac{3}{4}$ "	.72
5	1029	$1\frac{11}{16}$ " x $2\frac{25}{32}$ "	.72
4	1731A	$\frac{3}{4}$ " x $\frac{7}{8}$ "	.96
4	1033C	$1\frac{15}{16}$ " x 1"	1.29

OBSTRUCTION TYPE

Thin Head Pattern

3	1821	$\frac{3}{8}$ "	\$0.45
3	1823	$\frac{7}{16}$ "	.45
3	1825	$\frac{1}{2}$ "	.54
3	1827	$\frac{9}{16}$ "	.54
3	1829	$\frac{5}{8}$ "	.66
3	1831	$\frac{3}{4}$ "	.66

TAPPET WRENCHES

Extra Thin Pattern

6	T1	$\frac{7}{16}$ " x $1\frac{17}{32}$ "	\$0.45
6	T2	$\frac{1}{2}$ " x $\frac{9}{16}$ "	.48
6	T3	$\frac{5}{8}$ " x $1\frac{11}{16}$ "	.54
6	T4	$\frac{3}{4}$ " x $\frac{7}{8}$ "	.66

PRINTED IN U.S.A.

N. KILDARE AVE. AT SCHUBERT

INDESTRO
MFG. CORP

CHICAGO, U.S.A.



Chrome Vanadium Steel End Wrenches

Thin Head Pattern Automotive Type



SUPER QUALITY

Drop forged from Chrome Vanadium Steel. Well balanced with accurate openings and highly polished, pear shaped heads. Triple plated satin finish. A quality tool in every respect.

No.	Size Openings	Length	Wt. per Doz.	Price Ea.
1721 1021 1722 1723	$\frac{5}{16}$ & $\frac{3}{8}$ $\frac{5}{16}$ & $\frac{13}{32}$ $\frac{5}{16}$ & $\frac{7}{16}$ $\frac{3}{8}$ & $\frac{7}{16}$	5"	1 lb.	\$0.36
1022 1023 1723A	$\frac{5}{16}$ & $\frac{1}{2}$ $\frac{13}{32}$ & $\frac{1}{2}$ $\frac{3}{8}$ & $\frac{1}{2}$	5 $\frac{3}{4}$ "	1 lb. 14 oz.	.42
1024 1725 1725A 1725B 1025	$\frac{13}{32}$ & $\frac{19}{32}$ $\frac{7}{16}$ & $\frac{1}{2}$ $\frac{7}{16}$ & $\frac{9}{16}$ $\frac{1}{2}$ & $\frac{9}{16}$ $\frac{1}{2}$ & $\frac{19}{32}$	6 $\frac{1}{4}$ "	2 lb. 4 oz.	.51
1726 1026 1727 1027 1027C	$\frac{1}{2}$ & $\frac{5}{8}$ $\frac{1}{2}$ & $\frac{11}{16}$ $\frac{9}{16}$ & $\frac{5}{8}$ $\frac{19}{32}$ & $\frac{11}{16}$ $\frac{9}{16}$ & $\frac{11}{16}$	7 $\frac{1}{8}$ "	3 lb. 6 oz.	.57
1728 1028 1028S 1729 1029 1030	$\frac{9}{16}$ & $\frac{3}{4}$ $\frac{19}{32}$ & $\frac{25}{32}$ $\frac{5}{8}$ & $\frac{25}{32}$ $\frac{5}{8}$ & $\frac{3}{4}$ $\frac{11}{16}$ & $\frac{25}{32}$ $\frac{11}{16}$ & $\frac{7}{8}$	8 $\frac{1}{4}$ "	5 lb. 10 oz.	.72
1731 1731A 1031 1731B 1032 1033A 1033	$\frac{3}{4}$ & $\frac{13}{16}$ $\frac{3}{4}$ & $\frac{7}{8}$ $\frac{25}{32}$ & $\frac{7}{8}$ $\frac{13}{16}$ & $\frac{7}{8}$ $\frac{25}{32}$ & $\frac{31}{32}$ $\frac{7}{8}$ & $\frac{15}{16}$ $\frac{7}{8}$ & $\frac{31}{32}$	9 $\frac{3}{8}$ "	7 lb. 8 oz.	.96
1733 1033C 1034 1734 1035	$\frac{7}{8}$ & 1 $\frac{15}{16}$ & 1 $\frac{7}{8}$ & $\frac{11}{16}$ $\frac{7}{8}$ & $\frac{11}{8}$ $\frac{31}{32}$ & $\frac{11}{16}$	10 $\frac{5}{8}$ "	12 lb. 6 oz.	1.29
1735 1036 1736 1037 1737	1 & $\frac{11}{8}$ $\frac{31}{32}$ & $\frac{11}{4}$ 1 & $\frac{11}{4}$ $\frac{11}{16}$ & $\frac{11}{4}$ $\frac{11}{8}$ & $\frac{11}{4}$	12 $\frac{1}{4}$ "	18 lb.	1.74

STANDARD

Same design and material as the Super Quality type but not polished. Cadmium plated, rust proof finish. A good general purpose wrench.

No.	Size Openings	Length	Wt. per Doz.	Price Ea.
01721 01021 01722 01723	$\frac{5}{16}$ & $\frac{3}{8}$ $\frac{5}{16}$ & $\frac{13}{32}$ $\frac{5}{16}$ & $\frac{7}{16}$ $\frac{3}{8}$ & $\frac{7}{16}$	5"	1 lb.	\$0.25
01022 01023 01723A	$\frac{5}{16}$ & $\frac{1}{2}$ $\frac{13}{32}$ & $\frac{1}{2}$ $\frac{3}{8}$ & $\frac{1}{2}$	5 $\frac{3}{4}$ "	1 lb. 14 oz.	.28
01024 01725 01725A 01725B 01025	$\frac{13}{32}$ & $\frac{19}{32}$ $\frac{7}{16}$ & $\frac{1}{2}$ $\frac{7}{16}$ & $\frac{9}{16}$ $\frac{1}{2}$ & $\frac{9}{16}$ $\frac{1}{2}$ & $\frac{19}{32}$	6 $\frac{1}{4}$ "	2 lb. 4 oz.	.35
01726 01026 01727 01027 01027C	$\frac{1}{2}$ & $\frac{5}{8}$ $\frac{1}{2}$ & $\frac{11}{16}$ $\frac{9}{16}$ & $\frac{5}{8}$ $\frac{19}{32}$ & $\frac{11}{16}$ $\frac{9}{16}$ & $\frac{11}{16}$	7 $\frac{1}{8}$ "	3 lb. 6 oz.	.38
01728 01028 01028S 01729 01029 01030	$\frac{9}{16}$ & $\frac{3}{4}$ $\frac{19}{32}$ & $\frac{25}{32}$ $\frac{5}{8}$ & $\frac{25}{32}$ $\frac{5}{8}$ & $\frac{3}{4}$ $\frac{11}{16}$ & $\frac{25}{32}$ $\frac{11}{16}$ & $\frac{7}{8}$	8 $\frac{1}{4}$ "	5 lb. 10 oz.	.49
01731 01731A 01031 01731B 01032 01033A 01033	$\frac{3}{4}$ & $\frac{13}{16}$ $\frac{3}{4}$ & $\frac{7}{8}$ $\frac{25}{32}$ & $\frac{7}{8}$ $\frac{13}{16}$ & $\frac{7}{8}$ $\frac{25}{32}$ & $\frac{31}{32}$ $\frac{7}{8}$ & $\frac{15}{16}$ $\frac{7}{8}$ & $\frac{31}{32}$	9 $\frac{3}{8}$ "	7 lb. 8 oz.	.63
01733 01033C 01034 01734 01035	$\frac{7}{8}$ & 1 $\frac{15}{16}$ & 1 $\frac{7}{8}$ & $\frac{11}{16}$ $\frac{7}{8}$ & $\frac{11}{8}$ $\frac{31}{32}$ & $\frac{11}{16}$	10 $\frac{5}{8}$ "	12 lb. 6 oz.	.88
01735 01036 01736 01037 01737	1 & $\frac{11}{8}$ $\frac{31}{32}$ & $\frac{11}{4}$ 1 & $\frac{11}{4}$ $\frac{11}{16}$ & $\frac{11}{4}$ $\frac{11}{8}$ & $\frac{11}{4}$	12 $\frac{1}{4}$ "	18 lb.	1.16

Standard package contains six of one size.

PRINTED IN U.S.A.

N. KILDARE AVE. AT SCHUBERT



CHICAGO, U.S.A.

Tools for Service



Tappet Wrenches

Extra Thin Pattern



Super Quality

Drop forged from Chrome Vanadium Steel. Well balanced with accurate openings and highly polished, pear shaped heads. Triple plated satin finish. A quality tool in every respect.

No.	Size	Length	Wt. Per Doz.	Price Each
T1	7/16" x 17/32"	7 1/8"	2 lb. 8 oz.	\$0.45
T1A	7/16" x 1/2"	7 1/8"	2 lb. 8 oz.	.45
T2	1/2" x 9/16"	7 7/8"	2 lb. 12 oz.	.48
T3	5/8" x 11/16"	8 1/2"	3 lb. .. oz.	.54
T4	3/4" x 7/8"	9"	4 lb. .. oz.	.66
T4A	3/4" x 13/16"	9"	4 lb. .. oz.	.66

Standard

Same design and material as the Super Quality type but not polished. Cadmium plated, rust proof finish. A good general purpose wrench.

No.	Size	Length	Wt. Per Doz.	Price Each
TO1	7/16" x 17/32"	7 1/8"	2 lb. 8 oz.	\$0.26
TO1A	7/16" x 1/2"	7 1/8"	2 lb. 8 oz.	.26
TO2	1/2" x 9/16"	7 7/8"	2 lb. 12 oz.	.30
TO3	5/8" x 11/16"	8 1/2"	3 lb. .. oz.	.36
TO4	3/4" x 7/8"	9"	4 lb. .. oz.	.46
TO4A	3/4" x 13/16"	9"	4 lb. .. oz.	.46

Super Quality

Obstruction Type End Wrenches

Thin Head Pattern



These thin type Chrome-Vanadium Steel Drop Forged Wrenches with the same size openings on both the 45° and 90° ends enables the user to operate in places such as brake adjustments, manifolds, etc., where it is difficult to use any other tool.

No.	Size	Length	Wt. Per Doz.	Price Each
1821	3/8"	5 1/2"	1 lb. 3 oz.	\$0.45
1823	7/16"	5 1/2"	1 lb. 5 oz.	.45
1825	1/2"	6 1/2"	2 lb. 3 oz.	.54
1827	9/16"	6 1/2"	2 lb. 3 oz.	.54
1829	5/8"	7 1/2"	2 lb. 15 oz.	.66
1830	11/16"	7 1/2"	4 lb.	.66
1831	3/4"	7 1/2"	4 lb.	.66

Standard Tappet Wrench Sets in Metal Container



Two each of numbers TO1, TO2, and TO3 Standard Tappet Wrenches with cadmium plated, rust proof finish as described on preceding page. Packed in an attractively colored, baked enamel steel display and carrying case.

Weight 13 1/4 lbs. per Set

No. 6TM—Set in Metal Box..... Price \$1.90

No. 6TR—Set same as above except in substantial canvas roll..... Price \$1.90


Popular Bundle Tappet Wrenches



Two each of numbers TO2 and TO3 wrenches in cadmium plated finish and fastened together with tape. A good quality set at a reasonable price. Wt. 1 lb.

No. 4CB—Set of four tappet wrenches, cadmium plated..... Price \$1.20

Popular Open End Wrench Sets



These sets are furnished in both "Super Quality" and "Standard" as described on page 7. These Wrenches have been selected to give the most popular combinations in sizes ranging from 5/16" to 1" and include Nos. 1723, 1725B, 1027, 1028S, 1731A and 1033C. The black leatherette pocket roll is substantially made and offers a convenient method of keeping these wrenches together.

No. 1000—Set of 6 "Super Quality" Open End Wrenches in roll..... Price \$4.71

Weight 2 1/2 lbs.

No. 01000—Set of 6 "Standard" Open End Wrenches in roll..... Price \$3.28

Weight 2 1/2 lbs.

PRINTED IN U.S.A.

N. KILDARE AVE. AT SCHUBERT


INDESTRO
MFG. CORP

CHICAGO, U.S.A.



Super Quality Standard Display Cabinet

An
Attractive
Display
That
Sells
Tools



106
Popular
Sockets,
Handles
and
Fittings

No. 106

The Super Quality Display Cabinet is a convenient, attractive and profitable manner in which to handle sockets, handles and fittings. The heavy metal cabinet is green crackle finish and the background is rich copper bronze. Size $18\frac{1}{2}$ " x $24\frac{1}{2}$ ". Contents and quantities are shown below. Cabinets only furnished with complete assortment.

No. 106—Display Cabinet and contents.....**Complete—Price \$52.50**

Shipping Weight 90 lbs.

Quantity & No.	Description	Price Each	Quantity & No.	Description	Price Each	Quantity & No.	Description	Price Each
2	X1210 $\frac{5}{16}$ " Chr. Van. 6 Pt. Skt.	\$0.24	1	X1231 $3\frac{1}{32}$ " Chr. Van. 12 Pt. Skt.	.36	3	3211 10" Extension Adaptor	.60
2	X1212 $\frac{3}{8}$ " Chr. Van. 6 Pt. Skt.	.24	2	X1232 1" Chr. Van. 12 Pt. Skt.	.45	2	3212 Socket for Alemite Fitting	.16
3	X1214 $\frac{7}{16}$ " Chr. Van. 12 Pt. Skt.	.24	2	X1234 $1\frac{1}{16}$ " Chr. Van. 12 Pt. Skt.	.48	2	3213 Drag Link Socket	.42
3	X1216 $\frac{1}{2}$ " Chr. Van. 12 Pt. Skt.	.24	2	X1236 $1\frac{1}{8}$ " Chr. Van. 12 Pt. Skt.	.54	3	3214 Universal Joint	.60
5	X1218 $\frac{9}{16}$ " Chr. Van. 12 Pt. Skt.	.30	2	X1240 $1\frac{1}{4}$ " Chr. Van. 12 Pt. Skt.	.54	3	3216 6" Extension Adaptor	.48
5	X1220 $\frac{5}{8}$ " Chr. Van. 12 Pt. Skt.	.33	3	3200 10" Flx. Hd. Hdle. with cross bar	1.60	2	3310 $\frac{5}{16}$ " Drain Plug Socket	.30
3	X1221 $2\frac{1}{32}$ " Chr. Van. 12 Pt. Skt.	.33	3	3222 $15\frac{1}{2}$ " Flx. Hd. Hdle. with cross bar	1.70	2	3312 $\frac{3}{8}$ " Drain Plug Socket	.30
5	X1222 $1\frac{1}{16}$ " Chr. Van. 12 Pt. Skt.	.33	3	3202 Forged Ratchet	1.60	2	3314 $\frac{7}{16}$ " Drain Plug Socket	.30
5	X1224 $\frac{3}{4}$ " Chr. Van. 12 Pt. Skt.	.36	3	3203 Screw Driver Adaptor	.33	2	3316 $\frac{1}{2}$ " Drain Plug Socket	.33
3	X1225 $2\frac{5}{32}$ " Chr. Van. 12 Pt. Skt.	.36	3	3205 Short. Sq. Adaptor	.24	2	3318 $\frac{9}{16}$ " Drain Plug Socket	.33
3	X1226 $1\frac{3}{16}$ " Chr. Van. 12 Pt. Skt.	.36	3	3206 Slide Head T Handle	.84	2	3320 $\frac{5}{8}$ " Drain Plug Socket	.33
3	X1228 $\frac{7}{8}$ " Chr. Van. 12 Pt. Skt.	.36	3	3208 Long Speeder Handle	.69	2	3322 $1\frac{1}{16}$ " Drain Plug Socket	.36
2	X1230 $1\frac{5}{16}$ " Chr. Van. 12 Pt. Skt.	.36	3	3209 Short Speeder Handle	.60	2	3324 $\frac{3}{4}$ " Drain Plug Socket	.36

PRINTED IN U. S. A.

N. KILDARE AVE. AT SCHUBERT

INDESTRO
MFG. CORP.

CHICAGO, U. S. A.

Tools for Service



Super Quality Battery Pliers



These drop forged chrome Vanadium steel pliers are designed to provide positive gripping of badly corroded or mutilated battery terminal nuts.

The convenient angle of the jaws as well as the shape makes it possible to use these pliers in many positions that are inaccessible to many tools. Curved and hand-fit handles eliminate pinching the palm of the hand. Triple plated satin finish with highly polished head, length 8". *Weight 7 oz.*

No. 3415—Battery Pliers.....Price \$0.90

Super Quality Water Pump Pliers



Built for long, dependable service to give the mechanic a wealth of satisfaction for all around uses. While the head and jaws are especially designed for adjusting water pump packing nuts, these pliers are most useful in other tight places as general utility pliers. Drop forged chrome Vanadium steel.

The parallel thin jaws are adjustable in eight positions from closed to an opening of $1\frac{3}{4}$ ". Handsome duplex satin finish with polished jaws. *Weight 9 oz.*

No. 3400—Water Pump Pliers.....Price \$1.00

Super Quality Ignition Pliers



This drop forged chrome Vanadium steel plier is $4\frac{1}{2}$ " long, adjustable in four positions from closed jaws to an opening range up to $\frac{3}{16}$ ". Attractive satin nickel finish. *Wt. 1 oz.*

No. 3410—Midget Ignition Pliers.....Price \$0.60

Steel Pliers and Wire Cutters



Indestro Flat Nose Slip-Joint Steel Pliers are stamped from a special grade of steel, hardened to stand rough usage and will give long service. Just the item that you have been looking for; cheap in price but not in quality. Packed one dozen in attractive carton; one gross to shipping case. Finished in cadmium plate rust resisting. *Weight 6 oz.*

No. 3500—Steel Pliers.....Price \$0.16

No. 3500B—Steel Pliers, blue steel finish.....Price \$0.16

Mechanics' Tool Box




With Self Lifting Tray

A heavy gauge steel box with leather handle, nickel plated trim, dark green baked enamel finish. The self lifting tray permits ready access to either the tray or bottom of box when cover is open. The tray is partitioned so as to keep sockets and other small tools separated. The mechanic who already has his tools or one who is building up a set will find this box invaluable. Size $19\frac{1}{2}$ " long 7" wide, $6\frac{1}{2}$ " deep.

No. 9919—Super Quality Mechanics' Tool Box.....Price \$4.00
Weight, 9 lbs.

Strap Wrench



For removing hub caps, lamp rims, radiator caps, etc. Handle strong malleable iron, 9" overall, extra heavy woven strap 36" overall.

No. 50—Strap Wrench.....Price \$0.72

Weight 12 oz.

No. 50S—Strap only.....Price \$0.36

Drag Link Socket

A standard socket with $\frac{1}{2}$ " square drive and with bit for drag link, drain plugs, etc.

No. 3213—Drag Link Socket.....Price \$0.42




Socket for Alemite Fittings

A convenient as well as useful tool for removing and replacing Alemite fittings.

No. 3212—Socket for Alemite Fittings.....Price \$0.16



Offset Handle



The 10" offset handle with knurled grip can be used from either end. Extensions can be added where necessary.

No. 3207—Offset Handle.....Price \$1.00
Weight $1\frac{1}{4}$ lb.

Cotter Pin Tool

This little tool is not only handy for removing and spreading cotter pins but it is also extremely useful for many other purposes as for instance in packing water pumps, etc. Made from $\frac{5}{16}$ " square steel stock, one end pointed, the other flat. Cadmium plated, rust proof. *Weight 2 oz.*

No. 801—Cotter Pin Tool.....Price \$0.13



PRINTED IN U.S.A.

N. KILDARE AVE. AT SCHUBERT

INDESTRO
MFG. CORP

CHICAGO, U.S.A.



Super Quality Chrome Vanadium Steel Handles and Fittings

All fittings listed below are of the highest grade construction and design that will please the most exacting mechanic. All are interchangeable with any standard $\frac{1}{2}$ " square sockets and fittings. All parts are heavily plated.

Heavy Duty Ratchet



The new construction of this heavy duty ratchet makes it one of the strongest and most reliable on the market. No rivets are used and there are only three moving parts. 10" long.

No. 3202—Heavy Duty Ratchet.....Price \$0.60

Weight 1 lb.

No. 3215—Ratchet Plug Adaptor.....Price \$0.24

Speeder Handles



Fitted with knurled revolving handles and friction balls.

No. 3208—Long Speeder Handle, 19" long.....Price \$0.60

Weight 1 $\frac{3}{4}$ lbs.

No. 3209—Short Speeder Handle, 12" long.....Price \$0.69

Weight 1 $\frac{1}{4}$ lbs.

Swing Head Handle



The handiest handle of them all. Both ends fitted with friction ball and standard $\frac{1}{2}$ " square drive. Will reach all those hard to get at places.

No. 3200—10" Swing Head Handle with Bar.....Price \$1.60

Weight 1 $\frac{1}{4}$ lb.

Straight Type



No. 3223—18" Straight Type Swing Head Handle with $\frac{1}{2}$ " square ends, with Cross Bar.....Price \$1.90

Weight, 2 $\frac{1}{4}$ lbs.

No. 3222—15 $\frac{1}{2}$ " Straight Type Swing Head Handle, $\frac{1}{2}$ " square ends, with Cross Bar.....Price \$1.70

Weight, 2 lbs.

No. 3221—11 $\frac{1}{2}$ " Straight Type Swing Head Handle, $\frac{1}{2}$ " square ends, with Cross Bar.....Price \$1.50

Weight, 1 $\frac{1}{2}$ lbs.

No. 3210—9" Cross Bar Only.....Price \$0.16

Weight, $\frac{1}{4}$ lb.

WITH PLAIN END



No. 3220—11 $\frac{1}{2}$ " Straight Type Swing Head Handle, with plain end, no Cross Bar.....Price \$1.20

Weight, 1 $\frac{1}{4}$ lbs.

Slide "T" Handle



One of the most convenient and universally used of all handles. $\frac{1}{2}$ " standard square drive, 10" long. Weight 1 lb.

No. 3206—Slide "T" Handle.....Price \$0.84

"12 Point" Steel Sockets

No.	Size	Price
X1210	$\frac{5}{16}$ "	\$0.24
X1211	$\frac{11}{16}$ "	.24
X1212	$\frac{3}{8}$ "	.24
X1214	$\frac{7}{16}$ "	.24
X1216	$\frac{1}{2}$ "	.24
X1217	$\frac{17}{32}$ "	.30
X1218	$\frac{9}{16}$ "	.30
X1219	$\frac{19}{32}$ "	.30
X1220	$\frac{5}{8}$ "	.33
X1221	$\frac{21}{32}$ "	.33
X1222	$\frac{11}{16}$ "	.33
X1223	$\frac{23}{32}$ "	.36



No.	Size	Price
X1224	$\frac{3}{4}$ "	.36
X1225	$\frac{25}{32}$ "	.36
X1226	$\frac{13}{16}$ "	.36
X1228	$\frac{7}{8}$ "	.36
X1230	$\frac{15}{16}$ "	.36
X1231	$\frac{31}{32}$ "	.36
X1232	1"	.45
X1234	$1\frac{1}{16}$ "	.48
X1236	$1\frac{3}{8}$ "	.54
X1238	$1\frac{5}{8}$ "	.54
X1240	$1\frac{3}{4}$ "	.54

Square Steel Sockets

No.	Size	Price
X1210S	$\frac{5}{16}$ "	\$0.30
X1212S	$\frac{3}{8}$ "	.30
X1214S	$\frac{7}{16}$ "	.30
X1216S	$\frac{1}{2}$ "	.30
X1218S	$\frac{9}{16}$ "	.33

No.	Size	Price
X1220S	$\frac{5}{8}$ "	.36
X1222S	$1\frac{1}{16}$ "	.36
X1224S	$\frac{3}{4}$ "	.36
X1228S	$\frac{7}{8}$ "	.48

Drain Plug Sockets

No.	Size	Price
3310	$\frac{5}{16}$ "	\$0.30
3312	$\frac{3}{8}$ "	.30
3314	$\frac{7}{16}$ "	.30
3316	$\frac{1}{2}$ "	.33

No.	Size	Price
3318	$\frac{9}{16}$ "	.33
3320	$\frac{5}{8}$ "	.33
3322	$1\frac{1}{16}$ "	.36
3324	$\frac{3}{4}$ "	.36



Extension Adaptors



No. 3211



No. 3216



No. 3204



No. 3205



No. 3233



No. 3203

To be used in connection with standard $\frac{1}{2}$ " square sockets and fittings.

No. 3211—10" Extension Adaptor.....Price \$0.60

No. 3204—6" Extension with 2 Friction Balls.....Price .40

No. 3216—6" Extension Adaptor.....Price .48

No. 3205—1 $\frac{3}{4}$ " Short Square Adaptor.....Price .24

No. 3203—Screw Driver Adaptor.....Price .33

No. 3233—Reducing Adaptor $\frac{1}{2}$ " to $\frac{3}{8}$ ".....Price .30

Universal Joint

A three piece universal enabling the use of sockets in hard to get at places.

No. 3214—Universal Joint.....Price \$0.60



Universal Joint Adaptor

An extremely strong, 3 piece universal joint adaptor. The male and female ends are designed to be used with standard $\frac{1}{2}$ " square fittings and handles. Weight 8 oz.

No. 3217—Universal Joint Adaptor.....Price \$0.84



PRINTED IN U.S.A.

N. KILDARE AVE. AT SCHUBERT


INDESTRO
MFG. CORP

CHICAGO, U.S.A.

Tools for Service




Super Quality 16 Piece Chrome-Vanadium Steel Set



In this sixteen piece set is offered the most practical combination of sockets as well as an 18" flexible head handle. With this set it is practical to do nearly any job on a car or motor within the range of $\frac{7}{16}$ " to $1\frac{1}{8}$ " hexagon sizes. The heavy metal box is substantially made and gives a compact container for this useful set. Set includes 18" flexible handle and "12 Point" hexagon chrome vanadium steel sockets in the following sizes: $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{19}{32}$ ", $\frac{5}{8}$ ", $\frac{21}{32}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{13}{16}$ ", $\frac{7}{8}$ ", $\frac{15}{16}$ ", 1", $1\frac{1}{16}$ ", and $1\frac{1}{8}$ ".

No. 3116—16 Piece Chrome Vanadium Steel Socket Set **Price \$7.50**
Weight 8 lbs.

Super Quality 36 Piece Chrome-Vanadium Steel Set



The illustration or the description really cannot picture the value and eye-appeal in this truly fine mechanic's socket set. The heavy metal carrying case is extremely well made, the assortment, which includes midget sizes, is carefully made and includes openings from $\frac{1}{4}$ " to $1\frac{1}{8}$ ", as well as handles and fittings as follows:

14 $\frac{1}{2}$ " Flexible Handle	$\frac{9}{16}$ " 12 Point Socket	1" 12 Point Socket	$\frac{1}{4}$ " Midget Hex. Socket
Cross Bar	$\frac{19}{32}$ " 12 Point Socket	$\frac{1}{16}$ " 12 Point Socket	$\frac{9}{32}$ " Midget Hex. Socket
Long Speeder	$\frac{5}{8}$ " 12 Point Socket	$\frac{1}{8}$ " 12 Point Socket	$\frac{5}{16}$ " Midget Hex. Socket
Ratchet	$\frac{21}{32}$ " 12 Point Socket	$\frac{1}{2}$ " Square Socket	$\frac{11}{32}$ " Midget Hex. Socket
5" Extension Adaptor	$\frac{11}{16}$ " 12 Point Socket	$\frac{9}{16}$ " Square Socket	$\frac{3}{8}$ " Midget Hex. Socket
10" Extension Adaptor	$\frac{3}{4}$ " 12 Point Socket	$\frac{5}{8}$ " Square Socket	$\frac{7}{16}$ " Midget Hex. Socket
Short Adaptor	$\frac{13}{16}$ " 12 Point Socket	$\frac{11}{16}$ " Square Socket	$\frac{1}{4}$ " Midget Sq. Socket
Slide Tee	$\frac{7}{8}$ " 12 Point Socket	Midget Flexible Handle	$\frac{5}{16}$ " Midget Sq. Socket
$\frac{7}{16}$ " 12 Point Socket	$\frac{15}{16}$ " 12 Point Socket	Midget Cross Bar	$\frac{3}{8}$ " Midget Sq. Socket
$\frac{1}{2}$ " 12 Point Socket			

No. 3136—36 Piece Chrome Vanadium Steel Socket Set **Price \$14.38**
Weight 18 lbs.

PRINTED IN U.S.A.

N. KILDARE AVE. AT SCHUBERT

INDESTRO
MFG. CORP

CHICAGO, U.S.A.




Super Quality Chrome Vanadium Steel Socket Sets 1/2" Square Drive

The unusual strength and durability embodied in these sets gives them many advantages over other sets. Built to last a lifetime. Each set is packed in an attractive display box, making for quick, easy sales. Sockets of Chrome-Vanadium steel are recognized by all mechanics as being the finest made.

15 Piece Chrome Vanadium Steel Socket Set

This compact set contains the most popular sizes of sockets and the most essential tools with standard 1/2" square drive. The 9" slide cross bar in this set, used together with the flexible swing head handle, will turn it into a "T" or Offset Handle that can be used at any angle required. This combination makes this handle the most versatile and popular tool for any mechanic. Triple plated duplex finish and polished ends on all tools. In attractive baked enamel steel container.



Contents

5/16" Six Point Socket
3/8" Six Point Socket
7/16" Twelve Point Socket
1/2" Twelve Point Socket
9/16" Twelve Point Socket


5/8" Twelve Point Socket
21/32" Twelve Point Socket
11/16" Twelve Point Socket
3/4" Twelve Point Socket
7/8" Twelve Point Socket

15/16" Twelve Point Socket
1" Twelve Point Socket
6" Extension Adaptor
9" Cross Bar
10" Flexible Head Handle

No. 3115—15 Piece Chrome Vanadium Steel Socket Wrench Set.....Price \$5.90
Weight 6 1/4 lbs.

20 Piece Chrome Vanadium Steel Socket Set

A most complete assortment of Chrome-Vanadium tools with standard 1/2" square drive for automotive repair departments, machinists, railroad shops and all that demand tools of unusual strength and durability. All parts of set with attractive triple plated duplex finish and polished ends. Packed in attractive baked enamel steel container fitted with handle and clasp for locking.



Contents

7/16" Twelve Point Socket
1/2" Twelve Point Socket
9/16" Twelve Point Socket
5/8" Twelve Point Socket
21/32" Twelve Point Socket
11/16" Twelve Point Socket
3/4" Twelve Point Socket

25/32" Twelve Point Socket
13/16" Twelve Point Socket
7/8" Twelve Point Socket
15/16" Twelve Point Socket
1" Twelve Point Socket
Flexible Head Handle
Ratchet Handle

6" Extension Adaptor
9" Cross Bar
12" Speeder Handle
Screw Driver Adaptor
Alemite Socket
Drag Link Socket

No. 3120—20 Piece Chrome Vanadium Steel Socket Wrench Set.....Price \$9.60
Weight 9 1/2 lbs

PRINTED IN U. S. A.

N. KILDARE AVE. AT SCHUBERT



CHICAGO, U. S. A.


Tools for Service



Super Quality Chrome Vanadium Steel Socket Wrench Sets

1/2" Square Drive

11 Piece Set in Display Case




This assortment of eleven popular tools in an open display container makes it especially attractive from a merchandising angle. All parts of the set are easily visible at a glance, although held together securely by the ingenious construction of the steel container.

The set contains 10" Flexible Head Handle and ten "12 Point" thin nose sockets: $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{21}{32}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{13}{16}$ ", $\frac{7}{8}$ ", and $\frac{15}{16}$ ".

No. 3111C—11 Piece Chrome Vanadium Steel Socket Wrench Set.....Price \$4.70

Weight $3\frac{3}{4}$ lbs.

11 Piece Set in Slide Cover Box




A very attractive slide cover steel box is furnished for this set. The assortment of tools is the same as listed above for Set. No. 3111C.

No. 3111A—11 Piece Chrome Vanadium Steel Socket Set in Slide Cover Box.....Price \$4.70

Weight 4 lbs.

11 Piece Ratchet Wrench Set



This set is very highly recommended for the mechanic who appreciates a neat and compact set which includes a quality ratchet. Furnished in an attractive slide cover metal case and includes $1\frac{3}{4}$ " and 6" extension adaptors, easy action ratchet and eight popular size "12 Point" thin nose sockets: $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{13}{16}$ " and $\frac{7}{8}$ ".

No. 3111B—11 Piece Chrome Vanadium Steel Ratchet Wrench SetPrice \$4.80

Weight 4 lbs.

PRINTED IN U. S. A.

N. KILDARE AVE. AT SCHUBERT

INDESTRO
MFG. CORP

CHICAGO, U. S. A.



Super Quality Chrome Vanadium Steel "Cub" Socket Sets and Tools

$\frac{3}{8}$ " Square Drive



"Cub" Tools are designed for fast, dependable work in places that are hard to reach and that do not allow the use of regular sized tools although the maximum in strength is required. Properly heat treated and tempered Chrome Vanadium Steel in our tools assures extreme toughness and tensile strength. Each tool is a master piece of accuracy, balance and efficiency. Attractive triple plated, satin finish with polished ends. $\frac{3}{8}$ " square drive makes our tools interchangeable with other makes in the "Cub" class.

12 Piece "Cub" Socket Set

Set as illustrated contains a complete assortment of all necessary parts and fittings as follows: Seven 12-Point Hexagon Sockets, sizes $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $\frac{11}{16}$ ", and $\frac{3}{4}$ ", 10" Flexible Swing Head Handle, $\frac{5}{16}$ " Slide Cross Bar, 6" Ratchet Handle, 1" and $4\frac{1}{2}$ " Extension Adaptors. All tools packed in an attractive, baked enamel steel container. Weight, 3 lbs.

No. 2701—12 Piece "Cub" Socket Set.....Price \$5.50

9 Piece "Cub" Socket Set

Same set as described above, however, without the Ratchet Handle and the two Extension Adaptors. Wt. $2\frac{1}{2}$ lbs.

No. 2700—9 Piece "Cub" Socket Set.....Price \$3.80

"Cub" Extensions



For use with our "Cub" Ratchet, we furnish two extension adaptors which will enable the mechanic to overcome most obstructions. Triple plated satin finish.

No. 2731—"Cub" 1" Extension Adaptor.....Price \$0.20

No. 2732—"Cub" $4\frac{1}{2}$ " Extension Adaptor.....Price \$0.30

No. 2733— $\frac{3}{8}$ " x $\frac{1}{4}$ " Reducing Adaptor.....Price \$0.20

No. 3233— $\frac{3}{8}$ " x $\frac{1}{2}$ " Increasing Adaptor.....Price \$0.30

"Cub" Sockets

Extremely thin wall sockets of tough, light weight construction. Accurate 12-Point Hexagon broaching assures a positive grip. Triple plated satin finish with polished ends.

No.	Size	Price
2712	$\frac{3}{8}$ "	\$0.24
2714	$\frac{7}{16}$ "	.24
2716	$\frac{1}{2}$ "	.24
2718	$\frac{9}{16}$ "	.24
2720	$\frac{5}{8}$ "	.24
2722	$\frac{11}{16}$ "	.30
2724	$\frac{3}{4}$ "	.30

"Cub" Flexible Swing Head Handle



An indispensable tool of extremely strong construction. Has a spring friction radius regulator in swing head. Can be used as extension adaptor with our "Cub" Ratchet. Length overall, 10". Triple plated satin finish with polished head. *Weight 1 lb.*

No. 2781—"Cub" Flexible Handle.....Price \$1.32



To convert the above tool into a "T" Handle, use our $\frac{5}{16}$ " Slide Bar.

No. 2780—Slide Cross Bar.....Price \$0.12

"Cub" Ratchet



One of the most efficient tools for a mechanic for work in limited space. Due to the extremely narrow and flat design of the head combined with the easy spring ratchet action it can be operated where other tools are too clumsy for efficient work. Drop forged handle, 6" overall. Attractive satin finish with polished head. *Weight $\frac{1}{2}$ lb.*

No. 2888— $\frac{3}{8}$ " "Cub" Ratchet.....Price \$1.30

PRINTED IN U. S. A.

N. KILDARE AVE. AT SCHUBERT


INDESTRO
MFG. CORP.

CHICAGO, U. S. A.

Tools for Service



SUPER QUALITY Chrome Vanadium Steel "MIDGET" Socket Wrench Sets 1/4" Square Drive



A complete line of tools that will take care of jobs where space and clearances are limited and where small sized nuts and bolts are used as on carburetors, dashboards, generators, magnetos, radios, etc. These tools are designed and built for speed, convenience and efficiency. Made from Chrome Vanadium steel, properly heat treated, tempered and hardened. Triple plated duplex finish.

13 Piece "Midget" Set

Flexible Head Handle
4" Slide Cross Bar
1" Extension Adaptor
Ratchet Handle

1/4" 12 Pt. Hex. Socket	7/16" 12 Pt. Hex. Socket
9/32" 12 Pt. Hex. Socket	1/4" 8 Pt. Sq. Socket
5/16" 12 Pt. Hex. Socket	5/16" 8 Pt. Sq. Socket
11/32" 12 Pt. Hex. Socket	3/8" 8 Pt. Sq. Socket
3/8" 12 Pt. Hex. Socket	

Weight, 1 1/2 lbs.

No. 2801—13 Piece "Midget" Set.....Price \$3.20

11 Piece "Midget" Set

Flexible Head Handle
4" Slide Cross Bar

1/4" 12 Pt. Hex. Socket	7/16" 12 Pt. Hex. Socket
9/32" 12 Pt. Hex. Socket	1/4" 8 Pt. Sq. Socket
5/16" 12 Pt. Hex. Socket	5/16" 8 Pt. Sq. Socket
11/32" 12 Pt. Hex. Socket	3/8" 8 Pt. Sq. Socket
3/8" 12 Pt. Hex. Socket	

Weight, 1 lb. 2 oz.

No. 2800—11 Piece "Midget" Set.....Price \$1.80

"Midget" Sockets

No.	12 Point Hexagon Size	Price
2808	1/4"	\$0.18
2809	5/16"	.18
2810	3/8"	.18
2811	1/2"	.18
2812	5/8"	.18
2814	3/4"	.18

No.	8 Point Square Size	Price
2808S	1/4"	\$0.18
2810S	5/16"	.18
2812S	3/8"	.18

"Midget" Flexible Head Handle with Cross Bar



A 4" Slide Cross Bar furnished with this handle makes it either a "T" or offset handle, that can be used at any angle required. A most versatile and therefore essential tool for any mechanic. 6 1/2" long. Weight, 1/2 lb.

No. 2850—"Midget" Flexible Head Handle with
Cross Bar.....Price \$0.80

"Midget" Ratchet



Fully drop forged handle with properly hardened and tempered steel gears. No rivets or bolts used in the entire tool. Nothing to get out of order. Easy ratchet action for fast and dependable work. 5" long. Weight, 1/2 lb.

No. 2888—1/4"—"Midget" Ratchet.....Price \$1.30

"Midget" Extension Adaptors



No. 2831

No. 2733

Adaptors with two friction balls for use with above ratchet.
No. 2831—"Midget" 3/4" Extension Adaptor.....Price \$0.20
No. 2733—1/4"x3/8" Increasing Adaptor.....Price \$0.20

PRINTED IN U.S.A.

N. KILDARE AVE. AT SCHUBERT

INDESTRO
MFG. CORP.

CHICAGO, U.S.A.

Tools for Service



Master Handles and Fittings 1/2" Square Drive

The fittings listed below are the same that are used in all Indestro Master Sets and are interchangeable with all standard socket sets using 1/2" square drive. The parts are made from solid bar steel, heavily plated and designed both for utility and strength.

2 Piece Universal



Extra heavy and very necessary on hard places to reach.

No. 639—Universal Joint.....Price \$0.32
Wt. 5 oz.

3 Piece Universal



Accurately machined from solid bar special analysis steel, enabling use of tool at various angles. Standard 1/2" square opening, heavily nickel plated.

No. 640.....Price \$0.40
Shipping Weight, 5 oz.


Screw Driver Adaptor



Screw driver adaptor with two friction balls.

No. 658—Screw Driver Adaptor.....Price \$0.33
Wt. 1 oz.

Valve Grinder Attachment



For use on all makes of cars. Made of steel, hardened and tempered, special mottled finish, for use with square head speeder wrench or L handles.

No. 642.....Price \$0.20

Alemite Fitting Socket



The handiest socket for removing alemite fittings. Made of steel, hardened and cadmium plated. 1/2 in. square opening.

No. 645.....Price \$0.16
Wt. 1 oz.

Short Speeder



Short Speeder handle with 1/2" square end and friction ball. 12" long.

No. 643—Short Speeder.....Price \$0.44
Wt. 1 lb. 4 oz.

Ratchet Handle



Ratchet handle a very sturdy necessary tool.

No. 655—Ratchet Handle.....Price \$0.48
Wt. 14 oz.

Short Extension



Short 1/2" square extension with two friction balls.

No. 656—Short Extension.....Price \$0.12
Wt. 1 lb.

Long Extension



Solid bar steel with two friction balls. 7 1/2" long.

No. 657—Long Extension.....Price \$0.20
Wt. 11 oz.

"L" Offset Handle



Solid bar offset handle with two friction balls. 9 1/2" long.

No. 641—"L" Offset Handle.....Price \$0.24
Wt. 1 lb.

"L-T" Handle



A very desirable combination L-T handle that every mechanic and car owner appreciates. 9 1/2" long.

No. 646—"L-T" Handle.....Price \$0.48
Wt. 1 lb. 6 oz.

Long Speeder



Fitted with knurled revolving handle, 19" long, fitted with friction ball.

No. 644—Long Speeder.....Price \$0.48
Wt. 1 lb. 8 oz.


PRINTED IN U. S. A.

N. KILDARE AVE. AT SCHUBERT

INDESTRO
MFG. CORP

CHICAGO, U. S. A.

Tools for Service



"12 Point" Master Sockets



1/2" Square Drive

Master sockets are made from special carbon steel, carefully as well as accurately machined, heat treated, tempered and hardened. They have standard $\frac{1}{2}$ " square openings and are interchangeable with all standard sockets and fittings.

Numbers marked (*) in the "12 Point" group of sockets are 6 Point and those marked (*) in the "8 Point" group are 4 Point, since it is not practical to broach certain small sizes of sockets otherwise.

No.	Size	Price	No.	Size	Price
6610*	$\frac{5}{16}$ "	\$0.10	6623	$2\frac{3}{32}$ "	\$0.14
6611*	$1\frac{1}{32}$ "	.10	6624	$\frac{3}{4}$ "	.14
6612*	$\frac{3}{8}$ "	.10	6625	$2\frac{5}{32}$ "	.14
6614	$\frac{7}{16}$ "	.10	6626	$1\frac{3}{16}$ "	.14
6616	$\frac{1}{2}$ "	.10	6628	$\frac{7}{8}$ "	.16
6617	$1\frac{1}{32}$ "	.10	6630	$1\frac{9}{16}$ "	.16
6618	$\frac{9}{16}$ "	.10	6631	$2\frac{1}{32}$ "	.16
6619	$1\frac{9}{32}$ "	.10	6632	1"	.20
6620	$\frac{5}{8}$ "	.10	6634	$1\frac{1}{8}$ "	.20
6621	$2\frac{1}{32}$ "	.10	6636	$1\frac{3}{8}$ "	.20
6622	$1\frac{1}{8}$ "	.14	6638	$1\frac{7}{8}$ "	.20
			6640	$1\frac{3}{4}$ "	.20

Master Sockets with Square Openings

Same quality and style as above except made for square nuts and bolts.

No.	Size	Price	No.	Size	Price
6610-S*	$\frac{5}{16}$ "	\$0.10	6618-S	$\frac{9}{16}$ "	\$0.14
6611-S*	$1\frac{1}{32}$ "	.10	6620-S	$\frac{5}{8}$ "	.14
6612-S*	$\frac{3}{8}$ "	.10	6622-S	$1\frac{1}{16}$ "	.16
6614-S	$\frac{7}{16}$ "	.10	6624-S	$\frac{3}{4}$ "	.16
6616-S	$\frac{1}{2}$ "	.10	6628-S	$\frac{7}{8}$ "	.16

Drain Plug Sockets

These sockets are extremely practical for removing drain plugs on the crank case, transmission and differential housing of many cars. All sockets are interchangeable with $\frac{1}{2}$ " square handles and fittings.



No.	Size	Price
3310	$\frac{5}{16}$ "	\$0.30
3312	$\frac{3}{8}$ "	.30
3314	$\frac{7}{16}$ "	.30
3316	$\frac{1}{2}$ "	.33
3318	$\frac{9}{16}$ "	.33
3320	$\frac{5}{8}$ "	.33
3322	$1\frac{1}{16}$ "	.36
3324	$\frac{3}{4}$ "	.36

Chart of Wrench and Socket Openings and Sizes of Bolts and Nuts They Will Take

Opening	S.A.E. Std. Screws & Nuts	U. S. Std.		American Std.		Opening	S.A.E. Std. Screws & Nuts	U. S. Std.		American Std.	
		Nuts	Cap Screws	Nuts	Screws			Nuts	Cap Screws	Nuts	Screws
$\frac{1}{4}$ "				No. 4		$\frac{1}{4}$ "	$\frac{1}{2}$		$\frac{1}{2}$	$\frac{7}{16}$	$\frac{1}{2}$
$\frac{9}{32}$ "						$\frac{9}{32}$ "		$\frac{7}{16}$		$\frac{1}{2}$	
$\frac{1}{8}$ "		$\frac{1}{8}$	$\frac{3}{8}$	Nos. 5 & 6		$\frac{1}{8}$ "	$\frac{5}{8}$	$\frac{1}{2}$	$\frac{7}{8}$	$\frac{1}{2}$	$\frac{3}{4}$
$\frac{1}{16}$ "				No. 8		$\frac{1}{16}$ "		$\frac{7}{8}$		$\frac{3}{4}$	
$\frac{3}{16}$ "				No. 10	$\frac{1}{4}$	$\frac{3}{16}$ "		$\frac{7}{8}$	$\frac{3}{4}$	$\frac{3}{4}$	$\frac{3}{4}$
$\frac{1}{2}$ "	$\frac{1}{4}$	$\frac{1}{4}$	$\frac{1}{4}$		$\frac{3}{8}$	$\frac{1}{2}$ "	$\frac{3}{4}$	$\frac{7}{8}$	$\frac{7}{8}$	$\frac{3}{4}$	$\frac{7}{8}$
$\frac{5}{8}$ "	$\frac{3}{8}$		$\frac{3}{8}$		$\frac{7}{8}$	$\frac{5}{8}$ "		$\frac{7}{8}$		$\frac{3}{4}$	$\frac{7}{8}$
$\frac{1}{2}$ "	$\frac{7}{8}$	$\frac{7}{8}$	$\frac{7}{8}$			$\frac{1}{2}$ "	$\frac{7}{8}$	$\frac{3}{4}$	1		

11 Piece Master Socket Set 1/2" Square Drive



This is a very popular wrench set and packed in a convenient sliding cover enameled steel 12" box. Contains one L & T handle and 10 popular sized sockets: sizes $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $1\frac{1}{32}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $2\frac{5}{32}$ ", $1\frac{3}{16}$ ", $\frac{7}{8}$ ", hardened sockets; cadmium plated handle and sockets. *Weight 3 lbs. 6 oz.*

No. 1511—11 Piece Master Socket Set.....Price \$1.46

22 Piece Master Socket Set 1/2" Square Drive



Set consists of 14 12-point sockets, sizes: $\frac{11}{32}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $1\frac{1}{32}$ ", $\frac{9}{16}$ ", $\frac{3}{4}$ ", $2\frac{1}{32}$ ", $1\frac{1}{16}$ ", $\frac{5}{8}$ ", $1\frac{3}{16}$ ", $\frac{7}{8}$ ", $1\frac{5}{16}$ ", $1\frac{1}{8}$ ". 3 sockets to fit square nuts sizes $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ". One heavy ratchet wrench, one pair thin nose steel pliers, one short adaptor, one screw driver bit, one L & T handle. Packed in enameled steel box with hinged cover. *Weight 6 lbs. 2 oz.*

No. 1522—22 Piece Master Socket Set.....Price \$3.00


18 Piece Master Socket Set

A very practical and compact little set in a green crystal enamel, hinge cover steel box. Similar to 22 Pc. Set illustrated above but with $\frac{5}{16}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $2\frac{1}{32}$ ", $1\frac{1}{16}$ ", $\frac{3}{4}$ ", $1\frac{3}{16}$ ", $\frac{7}{8}$ " and $1\frac{5}{16}$ " 12 Point Sockets, $\frac{3}{8}$ ", $\frac{7}{16}$ " and $\frac{1}{2}$ " Square Sockets, Ratchet, L Handle and Short Sq. Adaptor.

No. 1518—18 Pc. Master Socket Set.....Price \$2.34
Weight 5½ lbs.



"Junior" Master 26 Piece Socket Wrench Set



**1/2" Square
Drive**

A well balanced set of essential mechanics' tools made of special analysis steel, properly hardened and tempered. All tools heavily cadmium plated, rust proof, and put up in attractive, baked enamel steel box. Contents:

12" Speeder	5/16" Hexagon Socket	21/32" 12 Point Hexagon Socket
Ratchet Handle	11/32" Hexagon Socket	11/16" 12 Point Hexagon Socket
Comb. L-T Handle	3/8" Hexagon Socket	23/32" 12 Point Hexagon Socket
Long Extension	7/16" 12 Point Hexagon Socket	3/4" 12 Point Hexagon Socket
Short Extension	1/2" 12 Point Hexagon Socket	25/32" 12 Point Hexagon Socket
Screw Driver Bit	17/32" 12 Point Hexagon Socket	13/16" 12 Point Hexagon Socket
Universal Joint	9/16" 12 Point Hexagon Socket	7/8" 12 Point Hexagon Socket
Valve Grinder Socket	19/32" 12 Point Hexagon Socket	1" 12 Point Hexagon Socket
1/2" 8 Point Square Socket	5/8" 12 Point Hexagon Socket	

No. 1526—26 Piece Socket Wrench Set

Price \$4.14

Shipping Weight, 8 1/2 lbs.

30 Piece "12 Point" Master Socket Set



**1/2" Square
Drive**

A very popular set to fill a demand for a slightly more complete set than that listed above and includes six popular sized square sockets. All parts made from specially selected steel, carefully hardened and cadmium plated. Consists of thirty pieces as follows,

19" Speeder	5/8" 8 Point Square Socket	11/16" 12 Point Hexagon Socket
Ratchet Handle	5/16" Hexagon Socket	23/32" 12 Point Hexagon Socket
Combination L-T Handle	11/16" Hexagon Socket	3/4" 12 Point Hexagon Socket
Short Extension	3/8" Hexagon Socket	25/32" 12 Point Hexagon Socket
7 1/2" Extension	7/16" 12 Point Hexagon Socket	13/16" 12 Point Hexagon Socket
3/16" 4 Point Square Socket	1/2" 12 Point Hexagon Socket	7/8" 12 Point Hexagon Socket
3/8" 4 Point Square Socket	17/32" 12 Point Hexagon Socket	15/16" 12 Point Hexagon Socket
7/16" 8 Point Square Socket	9/16" 12 Point Hexagon Socket	1" 12 Point Hexagon Socket
1/2" 8 Point Square Socket	5/8" 12 Point Hexagon Socket	1 1/16" 12 Point Hexagon Socket
9/16" 8 Point Square Socket	21/32" 12 Point Hexagon Socket	

No. 1530—30 Piece "12 Point" Master Socket Set

Price \$4.28

Weight 12 lbs.

No. 1530F—Same as above except in fibre carton

Price \$3.38

Weight 9 lbs.

PRINTED IN U. S. A.

N. KILDARE AVE. AT SCHUBERT


**INDESTRO
MFG. CORP**

CHICAGO, U. S. A.

Tools for Service



36 Piece "12 Point" Master Socket Set



**1/2" Square
Drive**

A 36 Piece "12 Point" set that fills the requirements of every mechanic. All hexagon sockets size $\frac{7}{16}$ " and larger are 12 Point. Special Carbon Steel is used in the construction of this set and our own special heat treating and hardening process gives the sockets maximum strength as well as utility. All parts are standard $\frac{1}{2}$ " square drive and heavily cadmium plated. The heavy gauge steel case is handsomely finished. The complete set contains the following parts:

Speeder Wrench
L Handle
Heavy Ratchet Wrench
Long Adaptor
Short Adaptor
Valve Grinder
Screw Driver Bit
Universal Joint
 $\frac{5}{16}$ " 6 Point Hexagon Socket
 $\frac{11}{32}$ " 6 Point Hexagon Socket
 $\frac{3}{8}$ " 6 Point Hexagon Socket
 $\frac{7}{16}$ " 12 Point Hexagon Socket

$\frac{1}{2}$ " 12 Point Hexagon Socket
 $\frac{17}{32}$ " 12 Point Hexagon Socket
 $\frac{9}{16}$ " 12 Point Hexagon Socket
 $\frac{19}{32}$ " 12 Point Hexagon Socket
 $\frac{5}{8}$ " 12 Point Hexagon Socket
 $\frac{21}{32}$ " 12 Point Hexagon Socket
 $\frac{11}{16}$ " 12 Point Hexagon Socket
 $\frac{3}{4}$ " 12 Point Hexagon Socket
 $\frac{13}{16}$ " 12 Point Hexagon Socket
 $\frac{7}{8}$ " 12 Point Hexagon Socket
 $\frac{15}{16}$ " 12 Point Hexagon Socket
 $\frac{31}{32}$ " 12 Point Hexagon Socket

1" 12 Point Hexagon Socket
 $\frac{11}{16}$ " 12 Point Hexagon Socket
 $\frac{11}{8}$ " 12 Point Hexagon Socket
 $\frac{11}{4}$ " 12 Point Hexagon Socket
 $\frac{3}{8}$ " 8 Point Square Socket
 $\frac{7}{16}$ " 8 Point Square Socket
 $\frac{1}{2}$ " 8 Point Square Socket
 $\frac{9}{16}$ " 8 Point Square Socket
 $\frac{5}{8}$ " 8 Point Square Socket
 $\frac{3}{4}$ " 8 Point Square Socket
 $\frac{11}{16}$ " 8 Point Square Socket
 $\frac{7}{8}$ " 8 Point Square Socket

In green crystal, baked enamel steel container.


No. 1536—36 Piece "12 Point" Master Socket Set **Price \$5.26**

Weight 13 lbs. 6 oz.

No. 1536F—Same as above except in fiber carton **Price \$4.36**

Weight 10 lbs. 2 oz.

45 Piece "12 Point" Master Socket Set



**1/2" Square
Drive**

The same set as described and illustrated above, however, without Universal Joint, but with a ten piece Ignition Socket Wrench Set that can be used not only for ignition work but also on carburetors, generators, magnetos, radios, and for many other uses that the larger tools will not handle. This little set consists of

Slide "T" Handle, 6" Extension, 5 hexagon sockets, $\frac{7}{32}$ ", $\frac{1}{4}$ ", $\frac{9}{32}$ ", $\frac{5}{16}$ ", $\frac{11}{32}$ ", and 3 "12 Point" hexagon sockets, $\frac{3}{8}$ ", $\frac{7}{16}$ ", and $\frac{15}{32}$ ". These sockets have $\frac{5}{16}$ " square drive. All 45 tools are heavily cadmium plated, rust proof. Packed in attractive, baked enamel steel box.

No. 1545—45 Piece "12 Point" Master Socket Set **Price \$5.90**

Weight 14 lbs. 4 oz.

PRINTED IN U.S.A.


N. KILDARE AVE. AT SCHUBERT

INDESTRO
MFG. CORP

CHICAGO, U.S.A.



"Senior" Master 45 Piece Socket Wrench Set



**1/2" Square
Drive**

The complete assortment of handles and sockets of this set as well as the attractive "V" type tool box with leatherette handle and nickel plated clasps should make this master wrench set equally popular with the mechanic as with the car owner. Over 800 different tool combinations are possible with all types of handles, adaptors, and sockets in this set. Heavy cadmium plated, rust-proof finish on all tools. Sockets are accurately machined from solid steel bars, heat treated and hardened. Contents:

12" Speeder
20" Speeder
Ratchet Handle
Combination L-T Handle
Short Extension
Long Extension
Universal Joint
Screw Driver Bit
Valve Grinder Socket
5/16" Hexagon Socket
11/32" Hexagon Socket
3/8" Hexagon Socket
7/16" 12 Point Hexagon Socket
1/2" 12 Point Hexagon Socket
17/32" 12 Point Hexagon Socket

9/16" 12 Point Hexagon Socket
19/32" 12 Point Hexagon Socket
5/8" 12 Point Hexagon Socket
21/32" 12 Point Hexagon Socket
11/16" 12 Point Hexagon Socket
3/4" 12 Point Hexagon Socket
25/32" 12 Point Hexagon Socket
13/16" 12 Point Hexagon Socket
7/8" 12 Point Hexagon Socket
15/16" 12 Point Hexagon Socket
31/32" 12 Point Hexagon Socket
1" 12 Point Hexagon Socket
1 1/8" 12 Point Hexagon Socket
1 1/4" 12 Point Hexagon Socket
5/16" Square Socket

1 1/2" Square Socket
3/8" Square Socket
7/16" 8 Point Square Socket
1/2" 8 Point Square Socket
9/16" 8 Point Square Socket
5/8" 8 Point Square Socket
11/16" 8 Point Square Socket
3/4" 8 Point Square Socket
7/8" 8 Point Square Socket
5/16" Drain Plug Socket
3/8" Drain Plug Socket
7/16" Drain Plug Socket
1/2" Drain Plug Socket
9/16" Drain Plug Socket
5/8" Drain Plug Socket

No. 1545V—45 Piece Socket Wrench Set Weight, 17 lbs. Price \$9.50

Tools Especially Adapted for Ford "V8" Cars

The tools listed below are especially adapted for Ford "V8" cars and are offered individually as well as in a set.


No. 768—Drop Forged Carbon Steel Wrench for adjusting brakes. With double 8 point openings, 1/2" and 7/16". Fits Ford "A," "AA," "B," "BB," and "V8" cars. Weight 1 lb. Price \$0.45

No. 617—Has 12 Point 9/16" Extra Thin Nose Chrome Vanadium Socket for "V8" Connecting Rods. Weight 1 lb. Price \$0.54

No. 516—12" "T" Handle Wrench with 1/2" Thin Socket especially designed for removing crank case bolts on Model "A," "B" and "V8" Ford cars. Weight 1 1/2 lbs. Price \$0.42

No. 738—Drop Forged 12 Point Chrome Vanadium Steel Wrench with 1 1/16" openings. Fits Ford "A," "B" and "V8" manifold and cylinder head bolts. Weight 1 1/2 lbs. Price \$1.32

No. 767—Drop Forged Chrome Vanadium Steel Wrench for main bearings in Ford "A," "B" and "V8" cars, openings 9/16" 8 point square and 3/4" 12 point hexagon. Weight 1 1/4 lbs. Price \$1.20



"V8" Wrench Set

This set consists of the five wrenches illustrated and described above, No. 768, No. 617, No. 516, No. 738, and No. 767, packed in a substantial fiber carton.

No. 6005-V8—5 Piece "V8" Wrench Set Price \$3.90
Weight 7 lbs.

PRINTED IN U.S.A.

N. KILDARE AVE. AT SCHUBERT


INDESTRO
MFG. CORP.

CHICAGO, U.S.A.

Tools for Service



No. 1207



Handy Socket Sets 1/2" Hexagon Drive

A compact wrench set which may be carried in car pocket or tool kit. Consists of 1/2", 9/16", 5/8", 11/16", 3/4" and 7/8" "12 Point" sockets and L Handle in hinged cover metal box. All parts carefully hardened and cadmium plated.

No. 1207—7-pc. Socket Set.....Price \$0.62

Wt. 1 1/2 lbs.

No. 1207C—Above Set in Fiber Box.

Price \$0.50

Wt. 1 lb.

No. 1209



This set contains 1/2", 9/16", 5/8", 11/16", 3/4", and 7/8" "12 point," cadmium plated sockets, Ratchet Handle, Offset Handle and Combination Adaptor and Screw Driver. Packed in attractive, slide-cover steel box.

No. 1209—9-pc. Socket Set in Metal Box.

Price \$1.10

Wt. 2 1/4 lbs.

No. 1209C—9-pc. Socket Set in Fiber Box.

Price \$0.93

Wt. 2 lbs.

No. 1211



This set contains 7/16", 1/2", 9/16", 19/32", 5/8", 1 1/16", 25/32", and 7/8" "12 point" cadmium plated sockets, Ratchet Handle, Offset Handle and Combination Adaptor and Screw Driver. Packed in attractive slide-cover steel box.

No. 1211—11-pc. Socket Set.....Price \$1.20

Wt. 2 1/2 lbs.

This set contains 7/16", 1/2", 9/16", 19/32", 5/8", 1 1/16", 3/4", 25/32", and 7/8" "12 point" cadmium plated sockets, Ratchet Handle, Offset Handle and Combination Adaptor and Screw Driver. Packed in attractive slide-cover steel box.

No. 1212—12-pc. Socket Set.....Price \$1.25

Wt. 2 1/2 lbs.

No. 1212



This set contains 5/16", 11/32", and 3/8" square sockets; 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 19/32", 5/8", 1 1/16", 3/4", 25/32", and 7/8" "12 point" cadmium plated sockets and combination L-T Handle. Packed in attractive slide-cover steel box.

No. 1216—16-pc. Socket Set.....Price \$1.25

Wt. 3 lbs.

No. 1216



20 pc. Socket Set similar to No. 1216 but with 15/16" in place of 7/8" Socket and addition of Screw Driver Adaptor, Ratchet and Alemite Socket.

No. 1220—20-pc. Socket Set.....Price \$1.68

Wt. 3 1/2 lbs.



Handy Socket Sets 1/2" Hexagon Drive

Designed for convenience as well as appearance. They are furnished with "12 Point" sockets. Every car owner needs one of these sets. Heavily cadmium plated.

The handiest and best value in a wrench set now on the market.

Packed in an Indestro display container.

Set consists of six "12 Point" sockets, sizes 1/2", 9/16", 5/8", 11/16", 3/4", and 7/8"; one 1/2" handle.

No. 1225—"12 Point" Handy 7 Piece

Wrench Set.....Price \$0.56
Wt. 1 1/4 lbs.

No. 1225



The latest type hinged cover metal case with L handle and six "12 Point" sockets: 1/2", 9/16", 5/8", 11/16", 3/4", and 7/8".

No. 1226—"12 Point" Handy 7 Piece

Wrench Set.....Price \$0.56
Wt. 1 1/4 lbs.

No. 1226




A set every mechanic will appreciate. Sockets are accurately sized and plainly marked. Indestro steel container, finished in enamel. 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 7/8", and 15/16" "12 Point" sockets, screw driver socket and L handle.

No. 1219—"12 Point" Handy 10 Piece

Wrench Set.....Price \$0.88
Wt. 2 lbs.

No. 1219




A very practical set at a real price, consisting of 6 "12 Point" sockets: 1/2", 9/16", 5/8", 11/16", 3/4", 7/8", a Ratchet Wrench, Screw Driver Adaptor and L Handle.

No. 1229—"12 Point" Handy 9 Piece

Wrench Set.....Price \$0.94
Wt. 2 lbs.

No. 1229




Attractive and low priced set for car owners. Contains six "12 Point" sockets, sizes: 1/2", 9/16", 5/8", 11/16", 3/4", and 7/8", Ratchet Wrench, Screw Driver Adaptor and L Handle.

No. 1239—"12 Point" Handy 9 Piece

Wrench Set.....Price \$1.02
Wt. 2 lbs.

No. 1239




One of the best selling sets on the market. Eleven pieces compactly put up in open display case as follows: 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 7/8", and 15/16" "12 Point" sockets, L Handle, Ratchet Wrench and Screw Driver Adaptor Bit.

No. 1235—"12 Point" Handy 11 Piece

Wrench Set.....Price \$1.20
Wt. 2 1/2 lbs.

No. 1235



No. 1235K—Above Set in 1236 Case.....Price \$1.20

A new type handy hinged metal display container with Ratchet, L Handle, Screw Driver Adapter and ten "12 Point" sockets as follows: 7/16", 1/2", 17/32", 9/16", 19/32", 5/8", 11/16", 3/4", 7/8", 15/16".

No. 1236—"12 Point" Handy 13 Piece

Wrench Set.....Price \$1.30
Wt. 2 1/2 lbs.

No. 1236



PRINTED IN U.S.A.

N. KILDARE AVE. AT SCHUBERT

INDESTRO
MFG. CORP

CHICAGO, U.S.A.

Tools for Service



Sockets and Fittings

1/2" Hexagon Drive

The tools shown on this page are for use only with 1/2" hexagon attachments, such as used in our various Handy Socket Sets. They are well constructed from carefully selected steel, properly hardened and cadmium plated.

Screw Driver Adaptor



Milled from 1/2" Hex. stock and tempered for rough usage. May be used as short extension or screw driver bit. Cadmium plated.

No. 1302—Screw Driver Adaptor.....Price \$0.07
Wt. 1 oz.

Screw Driver Socket

Milled from bar steel properly hardened and cadmium plated. For use with 1/2" hexagon handles and adaptors.



No. 1301—Screw Driver Socket.....Price \$0.12
Wt. 1 oz.

Short Hex Drive Sockets



For use in our Wrench Sets 1207, 1209, 1211, 1212, 1216, 1225 and 1226. Milled from bar steel, properly hardened, and cadmium plated. 3/8" and smaller are 6 point. Larger, 12 point.

No.	Size	Price	No.	Size	Price
1310	5/16"	\$0.05	1320	5/8"	\$0.06
1311	11/32"	.05	1322	1 1/16"	.06
1312	3/8"	.05	1324	3/4"	.07
1314	7/16"	.05	1325	25/32"	.09
1316	1/2"	.05	1328	7/8"	.10
1318	9/16"	.05	1330	15/16"	.10
1319	1 1/32"	.05	1309	Alemite Socket	.14

Hex Drive Square Sockets

No.	Size	Price
1310S	5/16"	\$0.05
1311S	11/32"	.05
1312S	3/8"	.05

Long Hex Drive Sockets



Similar to those above except slightly deeper. For Wrench Sets 1219, 1229, 1235, 1236 and 1239. All 12 point openings.

No.	Size	Price	No.	Size	Price
1414	7/16"	\$0.05	1420	5/8"	\$0.06
1416	1/2"	.05	1422	1 1/16"	.07
1417	17/32"	.05	1424	3/4"	.09
1418	9/16"	.06	1428	7/8"	.10
1419	1 1/32"	.06	1430	15/16"	.12

Enclosed Type Ratchet



Well made, positive action. Pawl and cog hardened. Cadmium plated. Length overall, 6 3/4".

No. 1308—Ratchet.....Price \$0.26
Weight 6 oz.

Open Type Ratchet



Strongly constructed of accurate stampings, and well machined parts. Free acting and sure. Cadmium plated. Length overall 6 3/4".

No. 1307—Ratchet.....Price \$0.20
Weight 6 oz.

Hexagon L Handles



A very handy attachment for use with 1/2" hexagon drive sockets. Heavily cadmium plated and fitted with a friction ball on each end.

No. 1303—6 1/2" Hex L Handle.....Price \$0.15
Wt. 6 oz.

No. 1304—7 1/2" Hex L Handle.....Price \$0.17
Wt. 8 oz.

No. 1305—9" Hex L Handle.....Price \$0.22
Wt. 10 oz.

Combination Hex L-T Handle



A most practical three purpose tool. May be used either as L Handle, T-Handle or Offset Handle. Cadmium plated 1/2" Hex L Handle and shell.

No. 1306—Combination Hex L-T Handle.....Price \$0.36
Wt. 14 oz.

PRINTED IN U.S.A.


N. KILDARE AVE. AT SCHUBERT



CHICAGO, U.S.A.



"Pee-Wee" Socket Sets 3/8" Hexagon Drive



14 Piece "Pee-Wee" Socket Set

The many uses of this compact little set make it a very essential tool kit for the mechanic. The Slide Tee Offset Handle, Spinner Extension, Ratchet with $\frac{3}{8}$ " hexagon opening, Adaptor and 10 differently sized sockets are especially designed for ignition, radio, electrical and household work. All tools are heat treated, tempered and hardened. Size of sockets are as follows: $\frac{7}{32}$ ", $\frac{1}{4}$ ", $\frac{9}{32}$ ", $\frac{5}{16}$ ", $\frac{11}{32}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{5}{8}$ ", $\frac{3}{4}$ ". Packed in baked enamel, hinged metal case. *Weight, $1\frac{1}{2}$ lbs.*

No. 2102—14 Piece "Pee-Wee" Wrench Set. Price \$1.56

12 Piece "Pee-Wee" Socket Set

This set is identical with one described above except it has no ratchet and adaptor. *Weight, $1\frac{1}{4}$ lbs.*

No. 2101—12 Piece "Pee-Wee" Wrench Set. Price \$1.20

9 Piece "Pee-Wee" Socket Set

This set contains Slide Tee Offset Handle and Spinner Extension as well as seven Sockets of the most popular sizes as follows: $\frac{9}{32}$ ", $\frac{5}{16}$ ", $\frac{11}{32}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ " and $\frac{5}{8}$ ". All in baked enamel, hinged metal case. *Weight, $1\frac{1}{2}$ lbs.*

No. 2100—9 Piece "Pee-Wee" Wrench Set. Price \$1.08

"Pee-Wee" Ratchet Wrench

A substantially built ratchet wrench with case hardened gear and pawl. Has $\frac{3}{8}$ " hexagon opening in ratchet head and $\frac{1}{4}$ " square opening in handle end. Length $5\frac{1}{2}$ ". *Weight, 4 ozs.*

No. 674- $\frac{3}{8}$ H—"Pee-Wee" Ratchet Wrench. Price \$0.42

Spinner Extension

A $4\frac{3}{4}$ " extension with revolving grip, which, when used with slide T Handle and sockets below, make up a very practical unit for fast assembly work.

No. 2170—Spinner Extension. Price \$0.24

Wt. 4 oz.

Slide T Handle

This 5" attachment may be used as an L Handle or T Handle and is for use with "Pee-Wee" sockets or spinner extension illustrated in above set.

No. 2171—Slide T Handle. Price \$0.36

Wt. 2 oz.

Short Hex Extension

For use with "Pee-Wee" ratchet and sockets. $\frac{3}{8}$ " Hex. $\frac{3}{4}$ " long. Carefully hardened.

No. 2172—Short Hex. Extension. Price \$0.10

"Pee-Wee" Hex Sockets

No.	Size	Price	No.	Size	Price
2107	$\frac{7}{32}$ "	\$0.06	2112	$\frac{3}{8}$ "	\$0.08
2108	$\frac{1}{4}$ "	.06	2114	$\frac{7}{16}$ "	.09
2109	$\frac{9}{32}$ "	.08	2115	$\frac{1}{2}$ "	.09
2110	$\frac{5}{16}$ "	.08	2116	$\frac{1}{2}$ "	.09
2111	$\frac{11}{32}$ "	.08	2118	$\frac{3}{4}$ "	.09

Refrigerator Ratchet Wrenches




These ratchets are identical in every respect with the one illustrated in our "Pee-Wee" Socket Set except they have $\frac{1}{4}$ " or $\frac{5}{16}$ " square opening in ratchet head to fit valve stem for adjusting expansion valves on refrigerators. *Weight, 4 oz.*

No. 674- $\frac{1}{4}$ —Refrigerator Ratchet Wrench with $\frac{1}{4}$ " square opening. Price \$0.42

No. 674- $\frac{5}{16}$ —Refrigerator Ratchet Wrench with $\frac{5}{16}$ " square opening. Price \$0.42

Ignition and Radio Socket Set 1/4" Hexagon Drive



Here is one of the most adaptable and compact little handy sets on the market for use on automobile ignition, as well as radio work. Set consists of eleven pieces, put up in convenient green enameled steel case, as follows: $6\frac{1}{2}$ " wood grip handle, 4" L handle, $3\frac{3}{4}$ " extension adaptor, $\frac{1}{4}$ ", $\frac{5}{16}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ " hex sockets, $\frac{1}{4}$ " round knurled socket, and $\frac{1}{4}$ " and $\frac{5}{16}$ " square sockets. *Weight, 1 lb.*

No. 11M—Ignition and Radio Socket Set. Price \$0.87

Indestro Socket Wrench Set 1/4" Hexagon Drive



Sockets fit snugly over the shaft, firmly held in place. Makes a sturdy, light, easily handled socket wrench. Hex. sockets, six sizes, screw driver bit.

Sizes $\frac{1}{4}$ ", $\frac{3}{8}$ " (Rd. knurled), $\frac{5}{16}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ".

No. 3F. Price \$0.56

Packed 1 Set to Carton

Weight 5 oz.

Sockets and Attachments for Above Sets

Individual parts going into the above wrench sets are milled from bar stock and nickel plated. All sockets are case hardened.

No. 301—4" Hex L Handle for 11M Set. Price \$0.14

Wt. $1\frac{1}{2}$ oz.

No. 302— $7\frac{1}{4}$ " Handle for 3F Set. Price \$0.20

Wt. 2 oz.

No. 303—Screw Driver Socket for 3F Set. Price \$0.08

No. 304— $3\frac{3}{4}$ " Extension Adaptor for 11M Set. Price \$0.16

Wt. $1\frac{1}{2}$ oz.

No. 305— $6\frac{1}{2}$ " Handle for 11M Set. Price \$0.20

Wt. 2 oz.

No. 308— $\frac{1}{4}$ " Hex Socket. Price \$0.06

No. 310— $\frac{5}{16}$ " Hex Socket. Price \$0.08

No. 312— $\frac{3}{8}$ " Hex Socket. Price \$0.08

No. 312R—Round Knurled Socket. Price \$0.06

No. 314— $\frac{7}{16}$ " Hex Socket. Price \$0.09

No. 316— $\frac{1}{2}$ " Hex Socket. Price \$0.09

No. 308S— $\frac{1}{4}$ " Square Socket. Price \$0.06

No. 310S— $\frac{5}{16}$ " Square Socket. Price \$0.08

PRINTED IN U.S.A.

N. KILDARE AVE. AT SCHUBERT

INDESTRO
MFG. CORP

CHICAGO, U.S.A.


Tools for Service



No. 110



No. 109



No. 112



No. 125



No. 111



Nut and Tap Wrenches

Stamped from special grade steel, heat treated and hardened. Cadmium plated finish.

Wrench openings, $\frac{1}{4}$ " and $\frac{5}{16}$ ". Tap Wrench opening, $\frac{5}{32}$ ". Thickness, $\frac{1}{8}$ ". Length, $3\frac{1}{4}$ ".

No. 101.....Price per 100 \$3.40
Wrench openings, $\frac{3}{8}$ " and $\frac{7}{16}$ ". Tap Wrench opening, $\frac{7}{32}$ ". Thickness, $\frac{1}{32}$ ". Length, 4".

No. 102.....Price per 100 \$4.80
Wrench openings, $\frac{1}{2}$ " and $\frac{9}{16}$ ". Tap Wrench opening, $\frac{1}{4}$ ". Thickness, $\frac{1}{64}$ ". Length, $4\frac{1}{4}$ ".

No. 103.....Price per 100 \$6.80
Wrench openings, $\frac{5}{8}$ " and $\frac{3}{4}$ ". Tap Wrench opening, $\frac{9}{32}$ ". Thickness, $\frac{3}{16}$ ". Length, $5\frac{7}{8}$ ".

No. 104.....Price per 100 \$9.00
Wrench openings, $\frac{7}{8}$ " and 1". Tap Wrench opening, $\frac{3}{8}$ ". Thickness, $\frac{3}{16}$ ". Length, $6\frac{7}{8}$ ".

No. 105.....Price per 100 \$11.00

No. 110—Set of 5 Wrenches described above fastened together with bolt and nut.....Price per set \$0.35

Weight, 1 lb. per set
4 Pc. Wrench Set similar to that above with openings $\frac{7}{32}$ " and $\frac{9}{32}$ ", $\frac{1}{4}$ " and $\frac{5}{16}$ ", $\frac{3}{8}$ " and $\frac{7}{16}$ " and $\frac{1}{2}$ " and $\frac{9}{16}$ ".

No. 109.....Price per 100 \$13.70

Wt. 4 oz.
3 Pc. Wrench Set similar to above, omitting $\frac{7}{32}$ " x $\frac{9}{32}$ " Wrench.
No. 108.....Price per 100 \$11.40

Nut and Rethreader Wrenches

Stamped from a special grade of steel, heat treated and hardened.

Wrench openings, $\frac{1}{4}$ " and $\frac{5}{16}$ ". Rethreads bolts $\frac{3}{16}$ " x 32. Thickness, $\frac{1}{8}$ ". Length, $3\frac{1}{4}$ ".

No. 115.....Price per 100 \$7.00
Wrench openings, $\frac{3}{8}$ " and $\frac{7}{16}$ ". Rethreads bolts $\frac{1}{4}$ " x 28. Thickness, $\frac{9}{32}$ ". Length, 4".

No. 116.....Price per 100 \$9.00
Wrench openings, $\frac{1}{2}$ " and $\frac{9}{16}$ ". Rethreads bolts $\frac{5}{16}$ " x 24. Thickness, $\frac{1}{64}$ ". Length, $4\frac{7}{8}$ ".

No. 117.....Price per 100 \$11.00
Wrench openings, $\frac{5}{8}$ " and $\frac{3}{4}$ ". Rethreads bolts $\frac{3}{8}$ " x 24. Thickness, $\frac{3}{16}$ ". Length, $5\frac{7}{8}$ ".

No. 118.....Price per 100 \$13.00
Wrench openings, $\frac{7}{8}$ " and 1". Rethreads bolts $\frac{7}{16}$ " x 20. Thickness, $\frac{3}{16}$ ". Length, $6\frac{7}{8}$ ".

No. 119.....Price per 100 \$15.00

No. 112—Set of 5 Wrenches described above in attractive carton.....Price per set \$0.40

Weight, 1 lb. per set

Tappet Wrenches

Wrench openings, $\frac{7}{16}$ " and $\frac{1}{2}$ ". Length $4\frac{1}{4}$ ".

No. 126.....Price per 100 \$6.00

Wrench openings, $\frac{9}{16}$ " and $1\frac{1}{32}$ ". Length $4\frac{3}{4}$ ".

No. 127.....Price per 100 \$8.00

Wrench openings, $1\frac{1}{16}$ " and $\frac{3}{4}$ ". Length $5\frac{1}{2}$ ".

No. 128.....Price per 100 \$10.00

Wrench openings, $\frac{3}{4}$ " and $\frac{7}{8}$ ". Length $6\frac{3}{8}$ ".

No. 129.....Price per 100 \$12.00

Wrench openings, $1\frac{5}{16}$ " and 1". Length $7\frac{1}{4}$ ".

No. 130.....Price per 100 \$14.00

No. 125—Set of 5 Wrenches described above in carton.....Price per set \$0.40

Weight, 1 lb. per set

Tappet Wrench Set

Set of six double end wrenches, two of each size, for adjusting valve tappets. Opening sizes, $\frac{5}{8}$ " x $1\frac{1}{16}$ ", $\frac{1}{2}$ " x $\frac{9}{16}$ ", and $\frac{3}{8}$ " x $\frac{7}{16}$ ". These sizes will fit practically any size valve tappet. Wrenches are made from high grade special analysis steel, heat treated and hardened, complete in leatherette case. Heavily nickel plated.

No. 111 —Set Complete.....Price \$0.50

Weight, $\frac{3}{4}$ lb.

PRINTED IN U.S.A.

N. KILDARE AVE. AT SCHUBERT

INDESTRO
MFG. CORP

CHICAGO, U.S.A.




Flat Box End Wrenches

Made of high grade steel, hardened and tempered by our own process to stand hard wear. Finished in Cadmium to resist rust.

No.	Length	Openings	Price Each
140	5"	$\frac{3}{8}$ " x $\frac{7}{16}$ "	\$0.07
141	5½"	$\frac{1}{2}$ " x $\frac{9}{16}$ "	.07
142	6"	$\frac{5}{8}$ " x $\frac{11}{16}$ "	.09
143	6½"	$\frac{3}{4}$ " x $\frac{25}{32}$ "	.09
144	7"	$\frac{13}{16}$ " x $\frac{7}{8}$ "	.13
145	7½"	$\frac{15}{16}$ " x 1"	.15

No. 147—Complete set of 6 wrenches described above fastened together with bolt and wing nut.....**Price \$0.56**

Wt. 1¼ lbs. per Set



No. 147


No. 148 Flat Box End Wrench Set

Consists of four wrenches only, viz.: No. 140, 141, 142, and 143 listed above, fastened together with bolt and wing nut.

No. 148—Flat Box End Wrench Set.....

Price \$0.32

Wt. ½ lb. per Set



No. 148


Combination Open End and Box End Wrenches

Stamped from a special grade of steel, hardened and tempered to obtain extreme toughness. Cadmium plated, rust resisting finish.

No.	Length	Openings	Price Each
150	5"	$\frac{5}{16}$ " x $\frac{3}{8}$ "	\$0.07
151	5½"	$\frac{7}{16}$ " x $\frac{1}{2}$ "	.07
152	6"	$\frac{9}{16}$ " x $\frac{11}{16}$ "	.09
153	6½"	$\frac{5}{8}$ " x $\frac{25}{32}$ "	.09
154	7"	$\frac{3}{4}$ " x $\frac{13}{16}$ "	.13
155	7½"	$\frac{7}{8}$ " x $\frac{15}{16}$ "	.15

No. 157—Complete set of 6 wrenches described above fastened together with bolt and wing nut.....**Price \$0.56**

Wt. 1¼ lbs. per Set




No. 157

No. 158 Combination Open End and Box End Wrench Set

Consists of four Wrenches only, viz.: Nos. 150, 151, 152 and 153 listed above, fastened together with bolt and wing nut.

No. 158—Open End and Box End Wrench Set.....**Price \$0.32**

Wt. ½ lb. per Set



No. 158

PRINTED IN U. S. A.

N. KILDARE AVE. AT SCHUBERT


INDESTRO
MFG. CORP.

CHICAGO, U. S. A.

Tools for Service



4-Way Rim Wrench




A sturdy forged wrench with deep sockets $\frac{3}{8}$ ", $\frac{5}{8}$ ", $1\frac{1}{16}$ ", and $\frac{7}{8}$ ". Will fit rim and hub bolts on nearly all cars.

Weight $2\frac{1}{2}$ lbs. each

No. 635—4-Way Rim Wrench Price \$0.70

Long and Short "T" Handle Wrenches



No.	Size	No.
514	$\frac{7}{16}$ "	564
516	$\frac{1}{2}$ "	566
518	$\frac{9}{16}$ "	568
519	$1\frac{1}{32}$ "	569
520	$\frac{5}{8}$ "	570
521	$2\frac{1}{32}$ "	571
522	$1\frac{1}{16}$ "	572
524	$\frac{3}{4}$ "	574
525	$2\frac{5}{32}$ "	575
526	$1\frac{3}{16}$ "	576
528	$\frac{7}{8}$ "	578

Weight 1 lb. 4 oz.

Weight 1 lb.

Long "T" handles are 12" long, the short ones $6\frac{1}{2}$ " long. Made of $\frac{1}{2}$ " solid steel bar, heavily nickel plated.

Long "T" Handles Price \$0.42

Short "T" Handles Price .36

Rim Wrenches



Solid steel, $\frac{1}{2}$ " diam. Revolving handle, hardened socket. Nickel plated. 8 sizes, length 16 inches over all.

No.	Weight	Hex. Opening	Each
0626	1 lb. 5 oz.	$\frac{3}{4}$ "	\$0.48
0627	1 lb. 5 oz.	$\frac{5}{8}$ "	.48
0628	1 lb. 5 oz.	$1\frac{1}{16}$ "	.48
0629	1 lb. 5 oz.	$1\frac{3}{16}$ "	.48
0654	1 lb. 5 oz.	$\frac{7}{8}$ "	.48

Rim Wrenches

Made of $\frac{3}{4}$ " solid steel, hardened sockets, nickel finish, 15" long over all.



No.	Weight	Hex. Opening	Each
626	$1\frac{1}{4}$ lbs.	$\frac{3}{4}$ "	\$0.28
627	$1\frac{1}{4}$ lbs.	$\frac{5}{8}$ "	.28
628	$1\frac{1}{4}$ lbs.	$1\frac{1}{16}$ "	.28
629	$1\frac{1}{4}$ lbs.	$1\frac{3}{16}$ "	.28
654	$1\frac{1}{4}$ lbs.	$\frac{7}{8}$ "	.28

Speed Wrench

Solid steel, $\frac{1}{2}$ " diameter, revolving handle, hardened sockets; 10 in. shank, length 20 inches over all. Nickel plated.



No.	Hex. Opening	Each
414	$\frac{7}{16}$ "	\$0.54
416	$\frac{1}{2}$ "	.54
418	$\frac{9}{16}$ "	.54
419	$1\frac{1}{32}$ "	.54
420	$\frac{5}{8}$ "	.54
422	$1\frac{1}{16}$ "	.54
424	$\frac{3}{4}$ "	.54
425	$2\frac{5}{32}$ "	.54
426	$1\frac{3}{16}$ "	.54

Weight, each 1 lb. 10 oz.

12 Point Connecting Rod Wrench




This 12 point double hexagon head wrench has a Chrome Vanadium Steel head, accurately machined and of proper design to do this important and difficult task. Handle is 9" long, made of special analysis steel and offset at the right angle so as to give proper clearance and maximum utility.

The $\frac{9}{16}$ " twelve point socket fits connecting rod bolt heads of Chrysler 6 and 8, Dodge 6 and 8, Plymouth 4 and 6 and Chevrolet 6 models 1930 to 1934 inclusive; also 6 and 8 cylinder Pontiacs 1926 to 1934 inclusive. Wt. 1 lb.

No. 608 Price \$0.54

Main Bearing Wrenches



This 12" wrench with $1\frac{1}{16}$ " and $\frac{3}{4}$ " twelve point openings is especially useful for main bearing and cylinder head bolts on: Chevrolet 6 and Pontiac 8, 1933 and 1934, Chrysler 6 and 8, Dodge 6 and 8 and Plymouth models 1930 to 1934 inclusive. Drop forged Chrome Vanadium steel attractively finished in bright satin nickel with polished ends.

No. 749— $1\frac{1}{16}$ " x $\frac{3}{4}$ " Main Bearing Wrench Price \$1.26

Weight 1 lb.

No. 739— $\frac{5}{8}$ " x $\frac{3}{4}$ " Main Bearing and Cylinder Head Wrench for Chevrolet 6 models up to and including 1932 and Pontiac 6 models 1928 to 1932 inclusive Price \$1.26

Weight 1 lb.

PRINTED IN U. S. A.


N. KILDARE AVE. AT SCHUBERT

INDESTRO
MFG. CORP.

CHICAGO, U. S. A.



Set for Chevrolet "4" Cars



A complete set for Chevrolet cars. Made of steel, highly plated; openings accurately sized and plainly marked. Openings $\frac{5}{8}$ " x $1\frac{1}{16}$ ", $\frac{3}{4}$ " x $\frac{9}{16}$ ", $\frac{1}{2}$ ", $\frac{5}{8}$ ", $\frac{1}{2}$ ", $\frac{13}{16}$ " x $1\frac{1}{4}$ ".
No. 6004C.....**Price Per Set \$1.86**
Weight 4 lbs.


L Wrench for rod bolts, motor support on Chevrolet 4, $\frac{5}{8}$ " and $1\frac{1}{16}$ " hexagon opening.
No. 607—L Wrench.....**Price \$0.42**
Weight 14 oz.

Triple Socket Wrench fits oil pump. Bendix drive transmission, axle housing, hand bolts, etc. Hexagon openings $\frac{1}{2}$ " x $\frac{5}{8}$ " x $\frac{1}{2}$ ".
No. 631—Triple Socket Wrench.....**Price \$0.42**
Weight 12 oz.

L Wrench for connecting rods, cylinder head bolts, fly wheel, cap screws, manifolds, etc. Openings $\frac{3}{4}$ " and $\frac{9}{16}$ " hexagon.
No. 606—L Wrench, Weight 1 lb......**Price \$0.42**
Weight 1 $\frac{1}{4}$ lbs.

Box End Wrench $1\frac{3}{16}$ " hexagon openings for Chevrolet 4 main bearings.
No. 624—Box End Wrench.....**Price \$0.60**
Weight 1 lb.

Crank Handles and Wheel Wrenches




This wrench is substantially constructed to give reliable service. Made of special analysis steel. Finished in black baked enamel. *Weight, 2 lbs.*

No. 601—Crank Handle and $\frac{3}{4}$ " Rim Wrench for Chevrolet cars Models 1925-27 and 1931-2.....**\$0.40**
Weight 2 lbs.

No. 602—Crank Handle only for Chevrolet cars. Models 1929-30.....**Price \$0.36**
Weight 3 $\frac{1}{2}$ lbs.

No. 603—Crank Handle and $\frac{3}{4}$ " Rim Wrench for Chevrolet cars. Models 1928 and 1933......**Price \$0.42**
Weight 2 lbs.


Chevrolet Spindle Bushing Tool



Strong, tempered and hardened steel tool, designed for removing and replacing Chevrolet Spindle Bushings. It can be used without the collar on spring bushings of all 1925 to 1929 cars, on brake bushings on all 1927-29 as well as on starter housing bushings on all models up to 1933 Chevrolet cars. May also be used on Pontiac Six 1928-29-30-31-32 and eight 1933.

No. 2023—Chevrolet Spindle Bushing Tool.....**Price \$0.45**
Weight, 1 lb.

Chevrolet "6" Wrench Set



The six wrenches described below are especially adapted for the Chevrolet "6" and are suitable for both the car owner and mechanic. All wrenches are carefully designed for both utility and strength. No. 739 is drop forged chrome-vanadium steel, the others are made from special analysis solid bar steel.

No. 568—Short T Handle Wrench $9/16$ " Hexagon fits Connecting Rod Bolts.....**Price \$0.36**
Weight 1 lb.

No. 600—Double Offset 12 Point Wrench $9/16$ " x $1\frac{1}{2}$ " fits Manifold, Fan Bracket and many other Bolts and Nuts around the motor which are very difficult to reach.....**Price \$0.60**
Weight $\frac{1}{2}$ lb.

No. 739—Forged Double End 12 Point Box Wrench Size $\frac{5}{8}$ " x $\frac{3}{4}$ " for Main Bearings, 12" long......**Price \$1.26**
Weight 1 lb.

No. 619—Double End Wrench. $9/16$ " x $3/4$ " fits Brake Arms, Bumpers, etc......**Price \$0.36**
Weight 1 lb.

No. 631—Triple Socket Wrench. $\frac{1}{2}$ " x $5/8$ " x $1/2$ " fits Fan Belt Tightener, Steering Wheel Housing, King Pin Bearings, etc......**Price \$0.42**
Weight 1 lb.

No. 606—L Wrench, $9/16$ " x $3/4$ " fits Cylinder Head Bolts, Cylinder Head Covers, Tappets, Rod Cover, Water House Connection.....**Price \$0.42**
Weight 1 $\frac{1}{4}$ lb.

No. 6006C—Set of six wrenches for Chevrolet "6" as described above, complete in strong fiber carton.....**Price \$3.42**
Weight 5 $\frac{1}{2}$ lbs.

Chevrolet Hub Cap and Water Pump Wrench



Made of heavy gauge steel cadmium plated, 3" and 1" openings. Especially designed for Chevrolet 1929 and 1930 hub caps and also for all models including 6 cylinder water pumps up to and including 1934.
No. 405.....**Price \$0.24**

Chevrolet Fan Belt and Water Pump Wrench



For all 6 Cylinder Chevrolets to adjust Fan Belt and Water Pump Packing Nut. Openings $\frac{1}{2}$ " x 1". Made of heavy gauge steel, heat treated and hardened. Blue mottled finish.

No. 406.....**Price \$0.24**
Weight $\frac{1}{4}$ lb.

PRINTED IN U. S. A.

N. KILDARE AVE. AT SCHUBERT

INDESTRO
MFG. CORP


CHICAGO, U. S. A.

Tools for Service



Wrenches and Tools for Ford "A", "B" and "V8"

Model "A" and "B" Ford Set



This set is designed especially for model "A" and "B" Fords. It is made of cold rolled steel and nickel plated. Openings are correctly sized and plainly marked. Set of five wrenches packed in cardboard container. *Weight, 6½ lbs.*

No. 6005FA—Set of 5 Wrenches.....Price \$2.52

The above set is made up of 5 Wrenches as follows:

Triple opening wrench, ½ in. and ⅝ in. hexagon opening same end, ⅝ in. hexagon opening opposite end; for spring clips, exhaust pipe bracket, valve cover, timing gear side plate, brake rod connection, water inlet, bumper, engine perch support. *Weight, 1 lb.*

No. 633.....Price \$0.42

Double-end socket wrench, ¾ in. hexagon and ⅞ in. square openings; for main bearing. *Weight, 1½ lbs.*

No. 622.....Price \$0.58

Double-end socket wrench, ⅞ in. and ¾ in. hexagon openings for spring clips, front and rear engine perch, fastening bumper to frame, radius rod, front and rear radius rod ball cap. *Weight, 1½ lbs.*

No. 621.....Price \$0.57

Quadruple opening wrench, 1⅞ in. and ⅝ in.; ⅞ in. and ½ in. hexagon openings for universal joint, fly wheel housing, cylinder head, brake rod arm, rear transmission housing. *Weight, 1 lb.*

No. 634.....Price \$0.48

T-handle connecting rod wrench; 2⅞ in. hexagon opening, 12 in. long. *Weight, 1½ lbs.*

No. 521.....Price \$0.42

Connecting Rod Wrenches For "A", "B" and "V8" Fords



This 2⅞ in. "12 Point" wrench is adapted for connecting rod bolt on Model "A" and "B" Fords. *Weight, 1 lb.*

No. 615.....Price \$0.45

⅞ in. "12 Point" extra thin nose Chrome Vanadium Steel Connecting Rod Wrench for V8 Ford. *Weight, 1 lb.*

No. 617.....Price \$0.54


Spindle and Spring Perch Bushing Tool



A heavy heat treated, tempered and hardened steel tool designed for removing and replacing bushings for steering spindle and spring perch in Models "A," "B," "V8-18" and "V8-40" Ford cars. The rugged construction, good design and owner. Blue mottled finish. Each tool packed in individual container. *Weight, 1 lb.*

No. 2022.....Price \$0.45

Ford Manifold and Head Wrench



Drop forged 12 point chrome vanadium steel wrench with 1⅞ in. 12 point box wrench on one end and the same size socket on the other. Fits Model A, AA, B and V8 head bolts, manifold bolts, etc. Length 15". *Weight 1 lb. 6 oz.*

No. 738—Manifold and Head Wrench.....Price \$1.32

Ford Brake Adjusting Wrench



Drop forged carbon steel wrench with ample leverage for frozen or rusted brake adjusting nuts. Double square 8 point openings ⅞ in. and ⅞ in. Fits Ford "A", "AA", "B", "BB", "V8-18", and "V8-40." Cadmium plated, 11" long. *Weight 1 lb.*

No. 768—Brake Adjusting Wrench.....Price \$0.45


Ford Main Bearing Wrench



A forged Chrome Vanadium Steel wrench with accurately machined sockets ⅞ in. "8 Point" square and ¾ in. "12 Point" hexagon openings. Duplex finished. For main bearings in Ford "A", "AA", "B", "BB", and "V8." *Weight, 1¼ lbs.*

No. 767—Main Bearing Wrench.....Price \$1.20

Crank Handle and Wheel Wrench



This crank and 1⅞ in. hexagon wrench is substantially constructed to give reliable service. Made of special analysis steel. Finished in black baked enamel. *Weight, 2 lbs.*

No. 604—Model "A" Ford Crank Handle and 13/16" Rim Wrench.....Price \$0.42

Crank Case Wrench

This "T" Handle Wrench is 12" long made of ½ in. cold rolled steel and is fitted with a special thin nose ⅞ in. hexagon socket, especially designed for removing bolts from the crank case of the Model "A" Ford car and is a very valuable wrench when doing this job. *Wt., 1½ lbs.*

No. 516—½" Hexagon "T" Crank Case Wrench.....Price \$0.42



Ford "A" Water Pump Wrench



For adjusting packing nut on water pump of Model A Ford cars. Stamped from heavy steel hardened and plated.

No. 677.....Price \$0.09
Weight, 2 lbs. Per Dozen.

PRINTED IN U.S.A.


N. KILDARE AVE. AT SCHUBERT

INDESTRO
MFG. CORP.

CHICAGO, U.S.A.



Model "T" Ford Set



A very useful set for "T" Fords. Set consists of five wrenches listed below. Openings accurately sized and plainly marked. Openings: $\frac{9}{16}$ " and $\frac{3}{4}$ " : $\frac{1}{2}$ ", $\frac{5}{8}$ " : $1\frac{1}{16}$ ", $\frac{5}{8}$ ". One Transmission band ratchet wrench with $1\frac{1}{16}$ " hex. opening.

No. 6005-FT.....Price \$1.65
Weight 5 lbs.

Double Socket Wrench for brake shoe support, transmission cover, etc. $\frac{9}{16}$ " and $\frac{3}{4}$ " hexagon opening, 9" long.
No. 619—Double Offset Wrench.....Price \$0.36
Weight $1\frac{1}{2}$ lbs.


Triple Socket Wrench 9" long, $\frac{3}{8}$ ", $\frac{1}{2}$ " and $\frac{5}{8}$ " hexagon openings. Fits most important bolts and nuts.
No. 633—Triple Socket Wrench.....Price \$0.42
Weight 1 lb.

Fly Wheel Wrench with $1\frac{1}{16}$ " hexagon opening, 13" long. Quite necessary for fly wheel bolts.
No. 612—Fly Wheel Wrench.....Price \$0.36
Weight 1 lb.

Transmission Band Ratchet for adjusting transmission and brakes. $1\frac{1}{16}$ " Hexagon opening.
No. 671—Transmission Ratchet.....Price \$0.24
Weight 8 oz.


Connecting Rod Wrench special shape to reach all rods. $\frac{5}{8}$ " Hexagon opening.
No. 611—Connecting Rod Wrench.....Price \$0.27
Weight 1 lb.

Heavy Duty Socket Wrench for Ford Cars



A triple socket offset wrench. Hex. openings $1\frac{5}{16}$ ", $\frac{7}{8}$ " and $1\frac{1}{16}$ ", for use on drive shaft pinions, front spring clip, hub bolts and nuts, radius rod, near hub, lock nuts, spindle arm and body bolts. Built for heavy work. Hardened sockets, nicely nicked. Weight, 1 lb., 6 ozs.
No. 632.....Price \$0.63

Model "T" Main Bearing Wrench



$\frac{9}{16}$ " square socket, 11" long over all. Fits into head of main bearing bolts. Extra strong and special shape to make getting to the main bearing bolts easy. Hardened socket, finely nicked.

Weight, 14 ozs.
No. 613.....Price \$0.36

Model "T" Ford Wrench



Made of heavy gauge steel hardened and tempered. Will not round off at edges. Best wrench of this type on the market. Hexagon openings $\frac{3}{4}$ ", $1\frac{1}{32}$ ", $1\frac{1}{8}$ " and $1\frac{5}{8}$ ". Oval opening $1\frac{1}{8}$ ".
No. 400B.....Price \$0.13
Weight 6 oz.

Bushing Remover Set

For removing and replacing old bushings on Model T cars. Well made, inexpensive time and trouble savers. Insert in bushing, expanders slide over bushing, which is then easily removed.

No.	Price
1650—Set, Weight, 1 lb.	\$0.72 Set
1651—Spindle Body Bushing Remover	\$0.24 Each
1652—Spindle Arm Bushing Remover	\$0.24 Each
1653—Piston Bushing Remover	\$0.28 Each



Combination Brake and Shock Absorber Adjusting Wrench



(17" long)

This tool is substantially made from solid bar steel with accurately machined socket to fit the adjusting screw for Ford "A" Shock Absorbers as well as a special $\frac{7}{16}$ " double square eight point Chrome Nickel Steel Socket to take care of adjusting screw of the brakes on Ford "A," "B," "V8-18" and "V8-40," enabling adjustments to be made without getting under car. Highly nickel plated.

No. 614A—Combination Brake and Shock Absorber Wrench. Price.....\$0.48

Ford Piston Pin Tools



To properly insert Piston Pins on Ford cars, it is absolutely necessary to have some special tool, so as to do the job quickly and conveniently. Heat treated, tempered and hardened. Blue mottled finish, with polished ends. Weight 2 lbs.

No. 2024-AB—Piston Pin Tool for Model "A" and "B" Ford	Price \$1.02
No. 2024-V8—Piston Pin Tool for Ford "V8-18" and "V8-40"	Price \$1.02

PRINTED IN U.S.A.

N. KILDARE AVE. AT SCHUBERT


INDESTRO
MFG. CORP

CHICAGO, U.S.A.

Tools for Service




Standard Knockout Wheel Pullers



Accurately Machined — Heat Treated Tempered-Hardened

Both our Standard Knock-Out and "Stubby" Knock-Out wheel pullers are accurately machined from special analysis steel, properly heat treated, tempered and hardened. "Stubby" Knock-Outs only are provided with vent hole, thus insuring proper contact with axle. In the following table we show most of the cars and trucks they will fit, but space does not permit listing them all.

"Stubby" Knock-Outs



No. 20 Size 3/8"x18 Price \$0.18 Weight 10 ozs.	FORD—Model T up to 1928, AB V8-18 V8-40 V8-46 CHEVROLET—490 and up to 1924	DURANT—6-17 1930 ESSEX—1924 to 1930 FLINT—B40 60 1926, Z18 Junior 1925-27	STAR—F M R 4 and 6 1925-28, 70 1929 AUSTIN—All Models	No. S-20 Size 3/8"x18 Price \$0.15 Weight 5 ozs.	
No. 24 Size 3/4"x16 Price \$0.18 Weight 10 ozs.	BUICK—Series 50 1932-33 CHEVROLET—Superior 1924, KV AA AB 1925-28, AC 6 Cyl. 1929, AD-AE 1930- 31, BA Early 1932, BA Late 1932 use KO-26 CHRYSLER—50-52 1926-28, 8 Cyl. 1930, CM 1931-32, CI 1932, 6Cyl. 1933 and 34 DESOTO—All Models DEVAUX—6-75 1930-3	DODGE—D-D-6 and Taxi DC-8 1929-30-31, D-L-6 1932, DR, DS-6 Cyl. 1934, DP-6 1933 DODGE GRAHAM TRUCK— SE F10 UF10 1929-32, HC HCL 1933, KC KCL 1934 DURANT—6-14 1930, 6-10 6-12 1931, 6-19 6-21 6-22 1932	FRONTENAC—Canada 6-85 1930-32 GRAHAM PAIGE—6-12 1929- 30, 45 Spec. 6, 46 Std. 6 Early 1930 FRANKLIN—11-B 1927, 130 135 137 1929, 145 147 1930, Transcontinental 1931, Ser. 15 153—Ser. 16 1931, 161 162 163 1932 ERSKINE—6 1927-29	PLYMOUTH—1928-33-34 WILLYS (OVERLAND)—4 Cyl. 77 1933-34 TRUCKS CHEVROLET—BB Light De- livery 1/2 Ton Early 1932, Late Model 1932 use KO- 26 PONTIAC—1926-28 G.M.C.—T10 T11 T11- 1001 1927-29	No. S-24 Size 3/4"x16 Price \$0.14 Weight 5 ozs.
No. 24C Size 3/4"x20 Price \$0.18	TERRAPLANE—1932-34 HUDSON—1934 Eight				
No. 26 Size 13/16"x16 Price \$0.18 Weight 10 ozs.	CHEVROLET—BA Late 1932, Early BA use KO-24	BB Light Delivery 1/2 Ton Late 1932, Early BB use KO-24			
No. 28 Size 7/8"x14 Price \$0.18 Weight 10 ozs.	AUBURN—76 1928, 6-80 1929, 6-85 1930, 88 8-90 6-80 8-95 6-85 1928-30, 6-85 1930, 6-60 8-77 1927- 28, 8-98 8-98A 1931-32 without dual ratio, 12 Cyl. 1932 without dual ratio BUICK—120" WB Cars 1927-28, 121" and 129" WB 1929, Series 50 to 59 and 60 to 69 1930, 8-80 8-90 1931, Ser. 60-80-90 1932 CHRYSLER—65-75 1928-29, 70-77 1929-30, 70 6 Cyl. 1931-32, 8 Cyl. 1931-32- 33, 60 and 62—58 1925- 27, Imp. and Deluxe 1931-32, CT, Royal 8 1933, CU, CV, Imp. 8 1934 DODGE—Standard and Victo- ry 6 Fast 4 1927-28, DK-8 1932, DO-8 1933 ELCAR—6-75 1926-29, 6-75A 1930 ERSKINE—6 1930 GARDNER—85 1928-29, 150 1929, 6A 1925-26, 8A-90 1925-27, 80 1927, 75 1928	GRAHAM PAIGE—6-10 1928- 29, 45 Spec. 6 Late 1930- 31, 46 Std. 6 1930-31, 56 Pros. 6 1932 HENNEY—20-24 1929 HUDSON—All 6 Cyl. Mod- els 1921-30 HUPMOBILE—All Models 1927-34 JORDAN—J JE JJ 1926-29, 880 Std. Line C 1930, 6-70 1927-28 KISSEL—6-70 1927-28 MARMON—Light 8 and L 1927-28, 78 1928-29, 68 1928-29, 8-69 1930, 70 1931 MOON—6-60 6-70 1926-29, 6-72 1927-29, 8-92 1929 NASH—Special and Ad- vanced 6 Series 400 1916 to 1929, Twin Ign. 6 1930, 490-8 1930, 890-8 1931, 890 990 1932, 1090 1070 1060 1932, 1080 Worm Drive 1932, 1180 1280 1220 1290 1934 OAKLAND—54 Greater 6 1924-29, All Amer. 6 8 Cyl. 101 8-19 1929-32	OVERLAND—96 96A Whip- pet 1926-31, 4A 91 92 93 93A PACKARD—1932-34 PEERLESS—125 8 Cyl. 1929, 6-81 6-61 6-61A 6-60 61 1927-30, A Std. Str. 8 1930-32 PONTIAC—All Models 1929-32 ROCKNE—1932-33 ROOSEVELT—8 Cyl. 1929-31 STUDEBAKER—Com. 6 1929, Dict. 6 1929-30, Dict. 8 1929-32, Com. 6 1929-30, Com. 8 1929-32, 6 Cyl. 1930-31, 4 Cyl. Light 6 Std. 6 Dict. 1919-29, 6-55 6-56, 8-62, 8-73, 8-71, 8-82, 1932-33, A-Dict., B- Com. 1934 STUTZ—Series AA 1926-28, BB 1928-30, M MB 1929- 31 WILLYS KNIGHT—70 A Spec. 6 1927-28, 97-98D 1931, 95-97 6-90 1932, 56 Std. 6 1928, 70B 87 1929- 31, 66D 1931-32, 880D 6-65 8-88 1931-32	WILLYS OVERLAND—98-B 1930-31, 97 98D 1931, 95 97 6-90 6-98 1932, 8-80 1931 WINDSOR MOON—6-72 1929, 8-92 1930 TRUCKS CHICAGO—AX 1927-28 DODGE GRAHAM—D-E Ser. 1927-29, C Ser. D Ser. 1926-28, E Ser. B Ser. 1926-30 INTERNATIONAL TRUCKS— CI DI 1932-34 OVERLAND—96A 1/2 Ton 1928-30 STUDEBAKER—SI Ser. 1/2- 1 1/2 Ton 1931, Del. Truck 1929-30 WILLYS KNIGHT—T100 T101 1928-29 WILLYS OVERLAND—C113 1931-32 YELLOW—TZ Knight 1926- 28 G-M-C—T-15 T-17 1 Ton 1931, T15A 17A 1930-33 FORD—All Models to 1928	No. S-28 Size 7/8"x14 Price \$0.14 Weight 4 ozs.
No. 28B Size 7/8"x18 Price \$0.18	ESSEX—Challenger Super 6 Pacemaker 1930-32	HUDSON—Super 8 Pace- maker 1930-32-33			
No. 32 Size 1"x14 Price \$0.18 Weight 12 ozs.	AUBURN—8-88—130" and 147" WB 1927, 115 1928- 29, 6-85 1930, 120 1929, 125 1930, 12-160 8-100 1932-33 with dual ratio, 8-88 1926-28, 6-85 1930 12-161 12-161A 12-165 1932-34, 850X, 852X single ratio, 850Y 652Y dual ratio 1934 BUICK—Std. 6 1926, Std. 6 1928 116" WB 1929, Ser. 40 to 49 1931, Ser. 60 1931-2, 8-50 8-57 8-54 8-55 8-56 8-56S Ser. 50 to 1932, 8-50 8-60 Series 1933-34 DUPONT—DE 1928, G 1929 FRANKLIN—Olympic 6, Series 17 12 Cyl. 1933 GENERAL TAXI—O10 1929- 30	GRAHAM PAIGE—6-14 6-19 8-27 8-35 8-37 1929-31 67, 68 1933-34 HENNEY—10-14 1929 JORDAN—G-90 Great Line 1930 KISSEL—6-55 8-65 1927, 80 1928, 6-54 8-74 54B 74B 1927-29, 8-80 8-95 1928-29 LA SALLE—350 Str. 8 1934 LAFAYETTE—Six-1934 MARMON—79 1930-31, 125 1932 NASH—1060 1070 1932 OLDSMOBILE—All Models 1924 to 1934 PACKARD—All Models 1927 to 1931, 901 902 903 904 1932 PEERLESS—6-90 1926-29, 6-80 1928, 6-91 1929, B- Master Str. 8 1930-32	PIERCE ARROW—1929-34 REO—1927-34 STUDEBAKER—Big 6 Spec. 6 1919-26, Pres. 6 1924-28, Comm. GB-GH 1927-28, Pres. 8 1928-32, 8-91 8-92 1932-33, C-Pres. 1934 VELIE—50 1927-28 VIKING—V-29 8 Cyl. 1929- 30 WILLYS KNIGHT—66A Great 6 1927-28, 56 1929, 64 6-66 1923-28, 66B 1929- 31 WOLVERINE—1927 YELLOW CAR—055 1925-27, 06 1926-29 TRUCKS BROCKWAY—Junior 2 and 4 JR JF JFR 60 65 70 1928-31 CLYDSDALE—12 14 10A 1924-30	DIAMOND T—75 76 Sp Wag 150 152 151 77 1925-30, 210SF 211SF 1932-34 G.M.C.—T11 1930, T-19 1926-29 INDIANA—300 200 74 11 11X 611 1926-30 INTERNATIONAL—LD SPD AWI 1926-32 REO—BA JR15 B2 Spd Wag DA DC DF 1928-30 STUDEBAKER—Seminole 154" WB 1928-29 WILLYS KNIGHT—C101 T103 1929-31 WILLYS OVERLAND—6-C101 1930-32 CHEVROLET—1/2 3/4 1 Ton 1921-28, D-X-R-L-M-LP 1925-28, 1 Ton 1929 CHICAGO—Model 10 1926, AX 1927-28	No. S-32 Size 1"x14 Price \$0.14 Weight 5 ozs.

PRINTED IN U.S.A.

INDESTRO
MFG. CORP.

N. KILDARE AVE. AT SCHUBERT

CHICAGO, U.S.A.



STANDARD KNOCKOUTS

Knock-Out Wheel Puller Guide

"STUBBY" KNOCKOUTS

No. 36 Size 1 1/8" x 12 Price \$0.44 Weight 1 1/2 lbs.	BUICK —121 129 WB 1929, 50 to 69 1930, 80 to 99 1931-32, Master 6 1925-28, 8-80 8-90 Series 1933-34 CADILLAC —1929-34 ELCAR —6-70 1927, H96 1930 GRAHAM PAIGE —6-15 Late 1929-30, Spec. 6 1930, 42 Spec. Std. 8 1930-31, 57	Blue Streak 1932, 58, 69 1932-34 HENNEY —Ambulance 1926-7 LA SALLE —All Models 1927-33 LOCOMOBILE —8-80 Big 6 1929 MARMON —H 136" WB 110 111 116 117 118 119 1930, H-88 1931, 140 16 Cyl. 1931-32	PAIGE —6-72 6-75 8-85 1926-28 PEERLESS —C Custom Str. 8 1930-32 STUTZ —Blackhawk 6 and 8 1929-30, LA 6 Cyl. 1931 TRUCKS CHEVROLET —1 1 1/2 Ton 1930 REO —FA FB FF FE 133" 143" 148" WB Gold	Crown Motor 1 1/2 Ton 1927-31, FA FB 1927-28 CHICAGO —1 Ton 1925-26, Late 1926 Model 10 and AX 1927-28 use Knock-Out KO-32 G.M.C. —K-16 1916-24	
	TRUCKS ACORN —19 1 Ton 1927 ARMLEDER —30 1928-29 ATTERBURY —24R 27R 1928 BROCKWAY —S-23 to 28-30-31 1928, S-30 S-K12 16 1929, S-31 1930 CLYDESDALE —9 1928 COMMERCE —Super 11 SD-11 1926-29	DIAMOND T —302 T3 T5 T7 T36 T56 1928-29 DODGE —GRAHAM—A-B-C-D-E Series 1923-30 FEDERAL —A6 1928-29, T2W T6W T3W T7W T21 T22 T8 1928-29 GARFORD —30 30-6 1924-28 G.M.C. —T50 1927-29	GOTFREDSON —20BX 41 46 30C 1925-28 GRAMM —BERNSTEIN—115 115-S 1926-28 HUG —20-21 1927-28, 22 1929-31 INDIANA —400 1928-30, 111 6111 1926-28 KING ZEITLER —40 1924-27, 35, 42A 1928	KISSEL —1 1/2 Ton 1924-27 LEMOON —H20 H21 1928 NOBLE —146A 1928 SELDEN —19 1-Ton 1927, 18 Pass. Bus 1926-29 SERVICE —S11 1927-28 STEWART —28X 24 24X 18 17 17X 1927-30	
No. 40 Size 1 1/4" x 7 Price \$0.44 Weight 1 1/2 lbs.	TRUCKS ARMLEDER —30 1928-29 ATTERBURY —24R 27R 1928 BROCKWAY —S-SK 1924-27, S-31 1930, S-23 to 28-30-31 1928, S-K12 16 1929 S-31 1930 CHEVROLET —L S 1930, LT 1 1/2 Ton 1931, Single Wheel Trucks 1932 and 1933, M. O. Dual Wheels L 1931-2-3 PA, PB, PC, PD 1934 CHICAGO —15W 20 1925-27 CLYDESDALE —9 1924-28 COMMERCE —14 14B S-14 1924-28	CORBITT —40 C 44 1927 DIAMOND T —T2 T3 T5 T56C 1924-27, T3 T5 T7 T36 T56 1928-29 FEDERAL —T8 T3W T22 T7W 1929, T3W T8 1930 FISHER —F. Merc. Ex. 1927-31 FORD —AA and BB 1929-35 GARFORD —30 30-6 1924-28 G.M.C. —T-18 1932, T-30 1 1/2-1 3/4-2 Ton 1929-30, T-30 T-44 1930-31 T-40 A3 C-D-E 1927-28, T-50 1927-29, T-42 1928-29 GOTFREDSON —30C 41 1928	GRAHAM BROS. —See Dodge GRAMM —263N 363N 1926-29, 463N 1928-29 HUG —1 1/2 Ton 1925-27 INDIANA —115 1929-31, 615 1931 INTERNATIONAL —Six Speed Spec. 1928-31, AW2 Six Speed Spec. 1931-32, S24 S26 SD SL34 SF34 1925-31, AL3 ALF3 1931-32, A2 B2 1931-32 MACK —8 AC 1929-30 REO —FD FC FH 1928-31.	FKX FHX FAX 1932 REPUBLIC —50 75 76 1926-29 STEWART —Buddy Six 1924-28, 30, 30X 1930-31, 40 XA 1932, 42X 1933-34 STUDEBAKER —75 75JR 76 77JR 184" WB 1928-29 WILLYS KNIGHT —15 16 1 1/2 Ton 1928-29, T20 T21 1927-29 YELLOW —Y-29 Pass. 1927-28	
	No. A-40 Size 1 1/4" x 12 Price \$0.44 Weight 1 1/2 lbs.				No. S-A40 Size 1 1/4" x 12 Price \$0.24 Weight 9 oz.

WHEEL PULLER GUIDE FOR INDESTRO KNOCK-OUTS in Alphabetical Order for all Passenger Cars and Trucks

Name of Cars (Passenger)	MODEL OR YEAR	Knock-Out Wheel Puller Number	Name of Cars (Passenger)	MODEL OR YEAR	Knock-Out Wheel Puller Number
AUSTIN.....	All Models.....	20	DE POST.....	DE 1928, G 1929.....	32
AUBURN.....	76 1928, 6-80 1929, 6-85 1930, 88- 8-90 6-80 8-95 6-85 1928-30, 6-85 1930, 6-66 8-77 1927-28, 8-98 8-98A 1931-32 without dual ratio, 12 Cyl. 1932 without dual ratio.....	28	DURANT.....	6-17 1930.....	20
AUBURN.....	8-88—130" and 147" WB 1927, 115 1923-29, 6-85 1930, 120 1929, 125 1930, 12-160 8-100 1932-33 with dual ratio, 8-88 1926-28, 6-85 1930, 12-161 12-161A 12-165 1932-34, 850X 852X single ratio-850Y 652Y dual ratio 1934.....	32	DURANT.....	6-14 1930, 6-10 6-12 1931, 6-19 6-21 6-22 1932.....	24
BUICK.....	Series 50 1932-33.....	24	ELCAR.....	6-75 1926-29, 6-75A 1930.....	28
BUICK.....	120" WB Cars 1927-28, 121" and 129" WB 1929, Series 50 to 59 and 60 to 69 1930, 8-80 8-90 1931, Ser. 60-80-90-1932.....	28	ELCAR.....	8-82 1928, 8-95 1929.....	32
BUICK.....	Std. 6 1926, Std. 6 1928 116" WB 1929, Ser. 40 to 49 1931, Ser. 60 1931-2, 8-50 8-57 8-54 8-55 8-56 8-56S Ser. 50 to 1932, 8-50 8-60 Ser. 1933-34.....	32	ELCAR.....	6-70 1927, H96 1930.....	36
BUICK.....	8-80, 8-90 Ser. 1933-34.....	36	ERSKINE.....	6 1927-29.....	24
CADILLAC.....	353 Late 1929-30, 355-8 370A-12 452A-16 1931, 355 B 8 370 B-12 452B-16 1932 1929-1934.....	36	ERSKINE.....	6 1930.....	28
CHEVROLET.....	490 and up to 1924.....	36	ESSEX.....	1924-30.....	20
CHEVROLET.....	Superior 1924, KV AA AB 1925-28, AC 6 Cyl. 1929, AD-AE 1930-31 BA Early 1932, BA Late 1932 use KO-26.....	20	ESSEX.....	Challenger Super 6 Pacemaker 1930-32.....	28B
CHEVROLET.....	BA Late 1932, Early BA use KO-24.....	24	FLINT.....	B40 60 1926, Z18 Junior 1925-27.....	20
CHRYSLER.....	50-52 1926-28, 8 Cyl. 1930, CM 1931-32, CI 1932, 6 Cyl. 1933 CA CB Sixes 1934, CO Six 1933.....	26	FORD.....	Model T up to 1928, AB V8-18 V8-40 V8-46.....	20
CHRYSLER.....	65-75 1928-29, 70-77 1929-30, 70- 6 Cyl. 1931-32 8 Cyl.—1931-32-33, 60 and 62—58 1925-27, Imp. and DeLuxe 1931-32, CT Royal 8 1933, CU CV Imp. 8 1934.....	24	FRANKLIN.....	11-B 1927, 130 135 137 1929, 145 147 1930, Transcontinental 1931, Ser. 15 153—Ser. 16 1931, 161 162 163 1932.....	24
De Soto.....	1930-34.....	24	FRANKLIN.....	Olympic 6, Series 17 12 Cyl. 1933.....	32
De Vaux.....	6-75 1930-31.....	24	FRONTENAC.....	Canada 6-85 1930-32.....	24
DODGE.....	D-D-6 and Taxi DC-8 1929-30-31, D-L-6 1932 DP-6 1933, DR DS 6 Cyl. 1934.....	24	GARDNER.....	85 1923-29, 150 1929, 6A 1925-26, 8A-90 1925-27, 80 1927, 75 1928.....	28
DODGE.....	Standard and Victory 6 Fast 4 1927-28, DK-8 1932, DK-Eight 1932, DO-Eight 1933.....	28	GENERAL.....	010 1929-30.....	32
			TAXI.....	6-12 1929-30, 45 Spec. 6, 46 Std. 6 Early 1930.....	24
			GRAHAM.....	6-10 1923-29, 45 Spec. 6 Late 1930-31, 46 Std. 6 1930-31, 56 Pros. 6 1932.....	28
			PAIGE.....	6-14 6-19 8-27 8-35 8-37 67 68.....	32
			PAIGE.....	6-15 Late 1929-30, Spec. 6 1930, 42 Spec. Std. 8 1930-31, 57 1932, 58 69 1932-34.....	36
			HENNEY.....	20-24 1929.....	28
			HENNEY.....	10-14 1929.....	32
			HENNEY.....	Ambulance 1926-7.....	36
			HUDSON.....	All 6 Cyl. Models 1921-33.....	28B
			HUDSON.....	Super 8 Pacemaker 1930-32-33-34.....	28
			HUPMOBILE.....	1926-1934.....	28
			JORDAN.....	J JE JJ 1926-29, E80 Std. Line U 1930, 6-70 1927-23.....	28
			JORDAN.....	G-90 Great Line 1930.....	32
			KISSEL.....	6-70 1927-23.....	28

(Continued on following page)

PRINTED IN U.S.A.

N. KILDARE AVE. AT SCHUBERT

INDESTRO
MFG. CORP.

CHICAGO, U.S.A.

Tools for Service



WHEEL PULLER GUIDE FOR INDESTRO KNOCK-OUTS

Name of Cars (Passenger)	MODEL OR YEAR	Knock-Out Wheel Puller Number	Name of Cars (Trucks)	MODEL OR YEAR	Knock-Out Wheel Puller Number
KISSEL	6-55 8-65 1927, 80 1928, 6-54 8-74 54B 74B 1927-29, 8-80 8-95 1928-29	32	CHICAGO	1 Ton 1925-26, Late 1926 Model 10 and AX 1927-28 use Knock-Out KO-32	36
LAFAYETTE	Six 1934	32	CHICAGO	15W 20 1925-27	A40
LA SALLE	All Models 1927-33	36	CLYDEDALE	12 14 10A 1924-30	32
LA SALLE	350 Six 8 1934	32	CLYDEDALE	9 1928	40
LOCOMOBILE	8-80 Big 6 1929	36	CLYDEDALE	9 1924-28	A40
MARMON	Light 8 and L 1927-28, 78 1921-29, 68 1921-29, 8-69 1930, 70 1931	28	COMMERCE	Super 11 SD-11 1926-29	40
MARMON	79 1930 31, 125 1932	32	COMMERCE	14 14B 8-14 1924-28	A40
MARMON	H 136" WB 110 111 116 117 118 119 1930, H-88 1931, 140 16 Cyl. 1931-32	36	CORDETT	40C 44 1927	A40
MOON	6-60 6-70 1926-29, 6-72 1927-29, 8-92 1929	28	DIAMOND T.	75 76 Sp. Wag 150 152 151 77 1925-30, 210SF 211SF 1932-34	32
NASH	Special and Advanced 6 Series 400 1916-1929, Twin Ign. 61930, 490-8 1930, 890-8 1931, 890 990 1932, 1090 1070 1060 1932, 1030 Worm Drive 1932, 1180 Adv. 8 1933, 1280 Adv. 8 1934, 1220 Big 6 1931, 1290 Amb. 8 1934	29	DIAMOND T.	302 T3 T5 T7 T36 T56 1928-29	40
NASH	1060 1070 1932	32	DODGE	T2 T3 T5 T56C 1924-27, T3 T5 T7 T36 T56 1928-29	A40
OAKLAND	54 Greater 6 1921-29, All Amer. 6 B Cyl. 101 8 19 1929-32	29	DODGE	SE F10 UF10, 1929-32, HC HCL 1933, KC KCL 1934	24
OLDSMOBILE	All Models 1924 to 1934	32	DODGE	O-E Ser. 1927-29, C Ser. D Ser. 1926-28, E Ser. B Ser. 1926-30	28
OVERLAND	96 96A Whippet 1926-31, 4A 91 92 93 93A	28	DODGE	A-B-C-D-E Series 1923-30	40
PACKARD	All Models 1927-34	28	FEDERAL	A6 1928-29, T2W T6W T3W T7W T21 T22 T8 1928-29	40
PAIGE	6-72 6-75 8-85 1926-29	36	FEDERAL	T8 T3W T22 T7W 1929, T3W T8 1930	A10
PEERLESS	125 8 Cyl. 1929, 6-61 6-81 6-61 A 6-60 61 1927-30, A Std. Str. 8 1930-32	28	FISHER	F. Merc. Ex. 1927-31	A40
PEERLESS	6-90 1926-29, 6-80 1928, 6-91 1929, B Master Str. 8 1930-32	32	FORD	AA BB 1929-33	A40
PEERLESS	G Custom Str. 8 1930-32	36	FORD	All Models to 1928	28
PIERCE	All Models 1928-34	32	GARFORD	30 30-6 1924-28	40
PIERCE	1928-34	24	GARFORD	30 30-6 1921-28	A40
PLYMOUTH	All Models 1929-32	28	G. M. C.	T-15 T-17 1 Ton 1931 T15A 17A 1930-33	28
PONTIAC	All Models 1927-1934	32	G. M. C.	T11 1930, T19 1926-29	32
REO	65 75 1932-33	28	G. M. C.	T10 T11 T11-1001 1927-29	24
ROCKNE	65 75 1932-33	28	G. M. C.	K-16 1916-24	36
ROOSEVELT	8 Cyl. 1929 31	28	G. M. C.	T50 1927-29	40
STAL	F M R 4 and 6 1925-28, 70 1929	20	G. M. C.	T-18 1932, T-30 1 1/2-1 3/4 2 Ton 1929-30, T-30 T-44 1930-31, T-40 A3 C-D-E 1927-28, T-50 1927-29, T-42 1928-29	A40
STUDEBAKER	Com. 6 1929, Dict. 6 1929-30, Dict. 8 1929-32, Com. 6 1929-30, Com. 8 1929-32, 6 Cyl. 1930-31, 4 Cyl. Light 6 Std. 6 Dict. 1919-29, 6-55 6-56 8-62 8-73 8-71 8-82 1932-33, A Dict. B Com. 1934	23	GOTTFREDSON	20BX 41 46 30C 1925-28	40
STUDEBAKER	Big 6 Spec. 6 1919-26, Pres. 6 1921-23, Comm. GB-GH 1927-28, Pres. 8 1928-32, 8-91 8-92 1932-33, C-Pres. 1934	32	GOTTFREDSON	30C 41 1928	A40
STUTZ	Series AA 1926-28, BB 1928-30, M MB 1929-31	28	GRAHAM	See Dodge	A40
STUTZ	Blackhawk 6 and 8 1929-30, LA 6 Cyl. 1931 1932-34	36	GRAHAM	263N 363N 1926-29, 463N 1928-29	A40
VELIS	50 1927-28	32	BERNSTEIN	115 115-S 1926-28	40
VIRING	V-29 8 Cyl. 1929-30	32	HUG	20-21 1927-28, 22 1929-31	40
WILLYS	70 A Spec. 6 1927-29, 97-98D 1931, 95-97 6-90 1932, 56 Std. 6 1923, 70B 87 1929-31, 66D 1931-32, 880D 6-65 8-88 1931-32	28	HUG	1 1/2 Ton 1925-27	A40
WILLYS	66A Great 6 1927-28, 56 1929, 64 6-66 1923-28, 66B 1929-31	32	INDIANA	300 200 74 11 11X 611 1926-30	32
WILLYS	4 Cyl. 77 1933-34	24	INDIANA	400 1928-30, 111 6111 1926-28	40
OVERLAND	98-B 1930-31, 97 98D 1931, 95 97 6-90 6-98 1932, 8-80 1931	28	INDIANA	115 1929-31, 615 1931	A40
WINDSOR	6-72 1929, 8-92 1930	28	INTERNA	C1 D1 1932-34	28
WOLFSBURNE	1927	32	INTERNA	LD SPD AWI 1926-32	32
YELLOW CAR	O5S 1925-27, O6 1926-29	32	INTERNA	Six Speed Spec. 1928-31, AW2 Six Speed Spec. 1931-32, S24 S26 SD SL34 SF34 1925-31, AL3 ALF3 1931-32, A2 B2 1931-32	A40
TRUCKS			KING	40 1924-27, 35, 42A 1928	40
ACORN	19 1 Ton 1927	40	KISSEL	1 1/2 Ton 1924-27	40
ARMLEDER	30 1928-29	40	LE MOON	H20 H21 1928	40
ARMLEDER	30 1928-29	A40	MAC	8 AC 1929-30	A40
ATTEBURY	21R 27R 1928	40	NOBLE	146A 1928	40
ATTEBURY	21R 27R 1928	A40	PONTIAC	1926-28	24
BROCKWAY	Junior 2 and 4 JR JF JFR 60 65 70 1928-31	32	OVERLAND	96A 1/2 Ton 1928-30	28
BROCKWAY	S 23 to 28-30-31 1923, S-30 S-k12 16 1929, S 31 1930	40	REO	BA JH15 B2 Spd Wag DA DC DF 1928-30, FA FB FF FE 133" 143" 148" WB Gold Crown Motor 1 1/2 Ton 1927-31, FA FB 1927-28	32
BROCKWAY	S-SK 1924-27, S-31 1930, S-23 to 28-30-31, S-K 12 16 1929, S-31 1930	A40	REO	FD FC FH 1928-31, FKX FHX FAX 1932	A40
CHEVROLET	BB Light Delivery 1/2 Ton Early 1932, Late Mod-1 1932, use KO-26	24	REPUBLIC	50 75 76 1926-29	A40
CHEVROLET	BB Light Delivery 1/2 Ton Late 1932, Early BB use KO-24	26	SOLDEN	19 1-Ton 1927, 18 Pass. Bus 1926-29	40
CHEVROLET	1 1/2 Ton 1921-28, D-X-R-I-M-L-P 1925-28, 1 Ton 1929	32	SERVICE	S11 1927-28	40
CHEVROLET	1 1 1/2 Ton 1930	36	STEWART	28X 24 24X 18 17 17X 1927-30	40
CHEVROLET	L S Dual Wheels 1930, LT Dual Disc Wheels 1 1/2 Ton 1931, Single Wheel Trucks 1932 1933, M.O. Dual Wheels L 1931-2-3, PA PB PC PD 1934	A40	STEWART	Ruddy Six 1924-28, 30, 30X 1930-31, 40 XA 1932, 42X 1933-34	A40
CHICAGO	AX 1927-28	28	STUDEBAKER	S1 Ser. 1 1/2-1 3/4 Ton 1931, Del. Truck 1929-30	28
CHICAGO	Model 10 1926, Ax 1927-28	32	STUDEBAKER	Seminole 154" WB 1928-29	32
			STUDEBAKER	75 75JR 76 77JR 184" WB 1928-29	A40
			WILLYS	T100 T101 1928-29	28
			WILLYS	C101 T103 1929-31	32
			WILLYS	15 16 1 1/2 Ton 1928-29, T20 T21 1927-29	A40
			WILLYS	C113 1931-32	28
			OVERLAND	6-C101 1930-32	32
			OVERLAND	TZ Knight 1926-28	28
			YELLOW	Y-29 Pass. 1927-28	A40

Note: See preceding pages for prices, size specifications, etc. of Indestro Knock-Outs.

PRINTED IN U.S.A.

N. KILDARE AVE. AT SCHUBERT



CHICAGO, U.S.A.




"Stubby" Knock-Out Wheel Puller Set

The "Stubby" Knock-Out Wheel Puller is made from special analysis steel which has been heat treated, tempered and hardened. There is a vent provided in each Wheel Puller so as to avoid trapping of air, oil or grease on the end of the axle thereby forming a cushion which would prevent the proper operation of the Wheel Puller. The metal box in which these five Wheel Pullers are contained is baked enamel finish and very compact and forms a very convenient as well as useful combination for mechanic's tool kit.

The set, as illustrated, contains the following five popular sizes of Wheel Pullers: $\frac{5}{8}$ "x18, $\frac{3}{4}$ "x16, $\frac{7}{8}$ "x14, 1"x14, $1\frac{1}{4}$ "x12. The first four mentioned sizes will fit practically 95% of all passenger cars and many of the light trucks while the last one fits the Model AA Ford Truck, thereby giving a combination which will take care of nearly every car and many trucks. List of cars which the various size Wheel Pullers fit is shown in the table on preceding pages. *Weight 2½ lbs.*

No. SK5—Set of Five "Stubby" Knock-Out Wheel Pullers in Metal Box.....Price \$0.96

Chevrolet "4" Wheel Puller




This heavy malleable wheel puller screws on Chevrolet 1924-28 hubs and will also fit ALL FORD "T" TON TRUCKS UP TO AND INCLUDING 1928. Has split side with clamping bolt. The pulling screw is heavy and hardened. Natural finish.

Weight 1½ lbs.

No. 693—Chevrolet "4" Wheel Puller.....Price \$0.62


Chevrolet "6" Wheel Puller



A yoke type puller for all Chevrolet Six cars, both wire and disc wheels. Very substantially made, yoke is malleable iron especially selected for its tensile strength, the set screw is extra large, *heat treated, tempered and hardened steel.* Fully guaranteed for both quality and service. Natural finish. *Weight 2½ lbs.*

No. 692—Chevrolet "6" Wheel Puller.....Price \$0.72

Ford "A" "AA" "B4" and "V8" Wheel Puller Heavy Duty Type



This closed or vise type wheel puller for Model "A", "AA", "B", "V8-18" and "V8-40" Ford cars is a tool that will be appreciated by both the mechanic and car owner. Cannot slip off or damage threads. Heavy malleable body with large hardened pulling screws. Natural finish. *Weight 3¼ lbs.*

No. 691—Heavy Duty Ford Wheel Puller.....Price \$0.84

Open Type Wheel Puller



A heavy malleable open type wheel puller with hardened steel screw that is especially designed for the different model Ford cars and trucks shown below. A very sturdy, satisfactory tool for the car owner or the mechanic. Natural finish. Note the four different models listed below and specify proper number.

Weight 2 lbs.

No. 694—For 1929-31 Ford "A", "B", "V8-18" and "V8-40".....Price \$0.54

No. 695—For 1928 Ford "A".....Price .54

No. 696—For 1929 Ford "AA" Truck.....Price .90

No. 697—For Ford AA 1930-31 and Ford TT Trucks, Pontiac 1927, Chevrolet 4, 1926-27 28, Wood, Wire and Disc Wheels, screw cap type, not illustrated.....Price \$0.90

PRINTED IN U. S. A.

N. KILDARE AVE. AT SCHUBERT

INDESTRO
MFG. CORP.

CHICAGO, U. S. A.

Tools for Service



Piston Skirt Expanding Rings

For
Piston
Slap



For
Oil
Trouble


These rings are especially designed for expanding aluminum pistons so as to restore pistons to their original fit. When properly installed they help prevent oil pumping, piston slapping and maintain automatically a uniform piston clearance. When ordering rings, order by diameter of cylinder.

No. 2031A For Cylinders	25/8" to 211/16"
No. 2031B For Cylinders	213/16" to 23/4"
No. 2031C For Cylinders	215/16" to 27/8"
No. 2031D For Cylinders	31/16" to 3"
No. 2031E For Cylinders	33/16" to 31/8"
No. 2031F For Cylinders	35/16" to 31/4"
No. 2031G For Cylinders	37/16" to 33/8"
No. 2031H For Cylinders	39/16" to 31/2"
No. 2031I For Cylinders	311/16" to 35/8"
No. 2031J For Cylinders	33/4" to 311/16"
No. 2031K For Cylinders	37/8" to 4"

Price \$0.15 each

All rings come packed 6 of one size to a carton with instructions for making installation. If in doubt as to size wanted, please give year and model of car which they are to fit. Weight, 8 oz. per set of 6.

Special Grooving Tool



While a few cars have slots on the inside of piston in which the rings described above may be inserted, yet most cars using aluminum pistons do not have this groove. The tool illustrated is especially designed to groove aluminum alloy pistons and is easily handled in an electric drill, drill press, or lathe. Note the method of quick and accurate adjustment of guide plate. The cutter is high grade tool steel with milled teeth insuring long service and accurate work.

No. 2030—Piston Grooving Tool.....Price \$0.70
Weight 8 oz.

PRINTED IN U.S.A.

N. KILDARE AVE. AT SCHUBERT

INDESTRO
MFG. CORP

CHICAGO, U.S.A.




Quick Action Valve Reseating Tools With Flexible Drive

Always Sharp

This design of tool provides a positive, simple method of replacing the abrasive face with special discs so as to assure a sharp surface at all times. The novel double spring flexible drive permits use in the most difficult to reach locations. See illustration at bottom of page.

Always Accurate

This tool cannot become worn and out of shape like solid tools of similar design inasmuch as the grinding head always remains the same and the abrasive surface can be changed when necessary.



Patent Applied for

Furnished With 5 Pilots

All heads listed below are interchangeable with all pilots and other fittings. Our No. 845 comes complete with $\frac{7}{8}$ " x $2\frac{1}{4}$ ", 45° head, 5 pilots, $\frac{5}{16}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{11}{32}$ ", and 25 discs. Includes proper size pilots for all popular cars including Ford "A", "B", and "V8".


Use On All Seats

While this tool is especially adapted for the later type motors with hardened inserted valve seats, it is also recommended for efficient use on all other types of valve seats. With heads listed below, it is possible to handle seats with special angles.

No. 845—45° Head with 5 Pilots Described Above Complete and Box of 25 Discs **Price \$3.30**
Weight, 2 lbs.

Other Heads and Accessories

No.	Description	Price
841	$1\frac{1}{16}$ " x $1\frac{15}{32}$ " 45° Head and Retainer only.....	\$0.75
842	$\frac{7}{8}$ " x $2\frac{1}{4}$ " 45° Head and Retainer only.....	.75
843	$1\frac{1}{8}$ " x $2\frac{5}{8}$ " 30° Head and Retainer only.....	.90
844	1" x $2\frac{3}{8}$ " 60° Head and Retainer only.....	.90
845P10	$\frac{5}{16}$ " Pilot only.....	.24
845P12	$\frac{3}{8}$ " Pilot only.....	.24
845P14	$\frac{7}{16}$ " Pilot only.....	.24
845P19	$\frac{11}{32}$ " Pilot only.....	.24
845P33	$1\frac{1}{32}$ " Pilot only.....	.30
846	Flexible Shaft Drive only.....	.45
841D25	Discs only for $1\frac{15}{32}$ " 45° Head, 25 in box.....	Per Box 1.00
842D25	Discs only for $2\frac{1}{4}$ " 45° Head, 25 in box.....	Per Box 1.00
843D25	Discs only for $2\frac{5}{8}$ " 30° Head, 25 in box.....	Per Box 1.35
844D25	Discs only for $2\frac{3}{8}$ " 60° Head, 25 in box.....	Per Box 1.35




Using Straight

Assembly



Use in any electric drill $\frac{1}{4}$ " or larger.



Using on Angle

PRINTED IN U. S. A.

N. KILDARE AVE. AT SCHUBERT

INDESTRO
MFG. CORP.


CHICAGO, U. S. A.

Tools for Service



Complete Valve Reseating Set

30° — 45° — 60° Heads



This complete tool has three 5-Blade high speed steel cutting heads and will reface 30°, 45°, and 60° valve seats. The 5-Blade construction makes a seat so nearly perfect as to require very little grinding.

Over 95% of all cars use a 45° angle on valve seats. With the 30° and 60° cutters it is possible to narrow the regular seats leaving only a narrow 45° shoulder.

The four pilots included with this set include $\frac{5}{16}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ " and $\frac{1}{2}$ " which fit practically every car including Model "A" Ford. Pilots and heads are interchangeable. *Weight 2 lbs.*

No. 827—Complete Set consisting of 30°, 45°, and 60° heads, four pilots and handle.....Price \$3.00

Universal Valve Reseater

45° Cutting Head only with handle and four interchangeable pilots, size $\frac{5}{16}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", and $\frac{1}{2}$ ". A universal type valve reseating tool that will fit any valve up to and including 2 $\frac{1}{4}$ ".

Weight 1 $\frac{1}{4}$ lbs.

No. 829—Universal Valve Reseater.....Price \$1.26

Chevrolet Valve Reseater

Special 45° Head with $\frac{5}{16}$ " pilot only for use on Chevrolet 4 and 6 cylinder models. *Weight $\frac{3}{4}$ lbs.*

No. 831—Chevrolet Valve Reseater.....Price \$1.02

Ford "A" Valve Reseater

45° Five blade head with $\frac{1}{32}$ " pilot only for use on Ford "A" cars. *Weight $\frac{3}{4}$ lb.*

No. 828—Ford "A" Valve Reseater.....Price \$1.14

Special Pilot for Ford "V8"

This pilot will fit any of the valve reseaters on this page, $\frac{1}{32}$ " in diameter. *Weight, 4 oz.*

No. 825— $\frac{1}{32}$ " "V8" Pilot Only.....Price \$0.30

Valve Seat Narrowing Set

Many times it is advisable to narrow the valve seat so as to properly fit and grind valves. This is easily accomplished with the two heads, mentioned above, and used with the handle and pilots furnished with our No. 827. *Weight 1 lb.*

No. 834—Set of two heads, 30° and 60°.....Price \$1.92

No. 832—60° Head only.....Price 1.14

Weight $\frac{1}{2}$ lb.


No. 833—30° Head only.....Price 1.14

Weight $\frac{1}{2}$ lb.

Valve Reseater

The five blades of tungsten steel are fastened into the head securely by a new method. This reseater will do the work as efficiently as the higher priced tools and simplifies valve grinding. Four pilots $\frac{5}{16}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ " and $\frac{1}{2}$ ", will fit nearly every car. *Weight 1 $\frac{1}{4}$ lbs.*

No. 830—5 Blade Valve Reseater.....Price \$0.90




Ball Bearing Valve Grinder

Advancing Type

Here is a high grade ball bearing Valve Grinder of the advancing and reciprocating type that has three blades, rubber vacuum cup and a 5 inch extension. A fast acting comfortable handling tool that any mechanic will appreciate.

Weight 1 $\frac{1}{4}$ lb.

No. 808—Ball Bearing Valve Grinder.....Price \$1.20



Reciprocating Type Grinder

A new moderately priced Valve Grinder that is very simple but efficient and easy to operate. A thoroughly practical Valve Grinder for the man who does his own overhauling as well as a satisfactory Valve Grinder for the mechanic. Equipped with three steel blades to fit all valves, a special rubber vacuum cup for use with Ford Valves as well as others, having smooth tops and valve grinding spring. Valve grinding spring is also included. This grinder is an exceptional value. Baked red enamel finish. *Wt. 1 lb.*


No. 411—Valve Grinder.....Price \$0.80



Universal Valve Refacer

This valve refacing lathe with high speed steel cutting blade will reface valves from $\frac{1}{2}$ " to 2 $\frac{1}{2}$ " in diameter accurately as well as efficiently. Makes valve grinding easy. *Weight 1 $\frac{3}{4}$ lb.*

No. 835—Valve Refacer.....Price \$1.14



Adjustable Valve Refacer


The same Valve Refacer as described above, however, with adjustable cutting blade to take care of both 45° as well as 30° Valves.

No. 840—Adjustable Valve Refacer.....Price \$1.30

Valve Refacing Lathe—Bench Type

The cutting tool is of high speed special steel mounted securely at the proper angle to reface all size valves. It is easily removed for sharpening or replacing at a small cost after long, hard service. Easily mounted on bench.

No. 836—Valve Refacing Lathe.....Price \$1.14



Weight 1 $\frac{3}{4}$ lbs.

Ford Valve Refacer

Same as above, however, especially designed to take care of Ford Valves.

No. 837—Ford Valve Refacer.....Price \$1.14

PRINTED IN U.S.A.


N. KILDARE AVE. AT SCHUBERT

INDESTRO
MFG. CORP

CHICAGO, U.S.A.



Complete Valve Grinding Outfit



Complete Valve Grinding Set for Ford A, AA, B, BB and many other popular cars, consists of special Valve Resacer, Valve Refacer, 411 Valve Grinder, 4 Ounce Double Can Valve Grinding Compound, Bushing Remover and Spring as described below. *Weight, 4½ lbs.*

No. 826—Valve Grinding Set Complete.....Price \$3.10

Ford "A", "B" and "V8" Valve Guide and Spring



This ingenious device solves the problem for a valve guide as well as relief spring when grinding valves on Ford Cars. One style is for models "A" and "B" while the other style is for all "V8."

No. 2025AB—Guide for Ford "A" and "B".....Price \$0.45

No. 2025V8—Guide for Ford "V8" Price .45
Shipping Weight, 4 oz.

Ford "V8" Valve Tool



This tool is designed to be used with the later model "V8" as well as the earlier model. The lug on one end makes it especially convenient when compressing valve spring for removing or inserting the bushing locking key in the late models.

No. 2192—"V8" Valve Tool.....Price \$0.60
Weight, 2 lbs.


Spring for Valve Grinding



A cone shaped spring for putting under valves when grinding. Just the right tension and temper.

No. 807—Valve Grinding Spring.....Price \$0.02
100 to Carton Weight 1 lb.

Valve Lifter



The Indestro valve lifter is made entirely of steel, heavily plated. Nothing to get out of order; non-slipping; wide-spread of jaws. Will fit Ford "A" and many other cars. Nickel finish.

No. 2015.....Price \$0.22
1 Dozen to a Carton Weight 7 lbs.

Brace Type Valve Grinder



Solid steel rod, 6" swing. Special hardened steel swivel, adjustable to fit any valve. Revolving head; finely plated; length 10" over all.

No. 636.....Price \$0.28
1 Doz. to a Carton Weight 7 lbs.


Same as No. 636 above, except 15" long; solid steel rod; 6" swing. Special hardened steel swivel, adjustable to any valve; revolving head; finely nickeled.

No. 637.....Price \$0.36
1 Doz. to a Carton Weight 9 lbs.

Valve Grinder Attachment

For use on all makes of cars. Made of steel, hardened and tempered, special mottled finish, for use with square head speeder wrench or L handles.

No. 642.....Price \$0.20
Wt. 3 oz.



Bit Valve Grinder

For use in brace. Blade is adjustable so as to fit nearly any valve.

No. 802—Bit Valve Grinder.....Price \$0.15
12 to the Carton Shipping Weight 1½ lbs. carton



Rubber Cup Valve Grinder



The rubber vacuum cup type Valve Grinder is quite convenient on nearly all types of valves and quite necessary on some types. Cup is made from live rubber and handle is enameled hardwood.

No. 809—14" Vacuum Cup Grinder.....Price \$0.16
12 to the Carton Shipping wt. 1½ lbs.

No. 806—7½" Vacuum Cup Grinder.....Price \$0.10
12 to the Carton Shipping wt. 1 lb.



No. 805—Rubber Vacuum Cup only.....Price \$0.08

Valve Bushing Punch

Designed for driving out valve stem bushings on Ford cars. Made of special analysis steel, heat treated and hardened. *Weight, 8 ozs.*

No. 2021-AB—Valve Bushing Punch for Model "A" and "B" Fords. Price \$0.28

No. 2021-V8—Valve Bushing Punch for "V8-18" and "V8-40" Fords. Price \$0.28



Chevrolet Valve Reseater

For both 4 and 6 cylinder models Chevrolet. Head has five high speed steel cutting blades which are accurately ground after assembling. Speeds up valve grinding and a very necessary tool when seat is pitted. *Weight, ¾ lb.*

No. 831—Valve Reseating Tool for Chevrolet 4's and 6's.....Price \$1.02



PRINTED IN U. S. A.

N. KILDARE AVE. AT SCHUBERT


INDESTRO
MFG. CORP

CHICAGO, U. S. A.

Tools for Service



No. 800-C12



No. 800



Tire Valve Tools

A most convenient tool for work on tire valves. Indispensable for removing and replacing valve cores, deflating tires, re-threading the outside and re-tapping the inside of valve stems. Cadmium plated, rust-proof finish.


No. 800—Tire Valve Tool individually displayed on attractive, two-color card.....Price \$0.12

Weight per dozen $\frac{1}{2}$ lb.

No. 800-C12—Display Card of 12 Tire Valve Tools of attractive, two-color design.....Price \$1.44

Weight per card $\frac{1}{2}$ lb.

No. 75-C12



No. 75-C12 Commutator Cleaners

To increase efficiency of generators and starters, the commutators need frequent cleaning to maintain the proper contact with the brushes. Our Commutator Cleaner does this job easily and thoroughly. The cadmium plated metal handle holds 36 inches of sandpaper and is provided with a convenient lock so a small portion can be replaced when a new surface is required.

12 cleaners mounted on attractive two-color display card. Weight 2 lbs.


No. 75-C12—Card of 12 Commutator Cleaners.....Price \$4.80

Refills for Commutator Cleaners

No. 76—Carton of 24 Refills of Rolls with 36 inches of sandpaper and with instructions for usePrice \$1.20

Weight 1 lb.

No. 138-C12



Pocket Screw Drivers

Both in the work shop as well as in the household there is hardly a tool which compares in popularity with a handy and dependable screw driver. Our screw driver with transparent red, shock-proof handle, $\frac{1}{8}$ " x $1\frac{7}{8}$ " tool steel blade and pocket clip is designed for work on ignition systems, radios, lamp sockets, sewing machines, electric irons, etc. Bright cadmium plated, rust-proof finish on blades. To retail for 25c. One dozen screw drivers mounted on attractive, two-color display card. Weight, $\frac{1}{2}$ lb.

No. 138-C12—Card of 12 Screw Drivers.....Price \$2.70

PRINTED IN U. S. A.

N. KILDARE AVE. AT SCHUBERT

INDESTRO
MFG. CORP.

CHICAGO, U. S. A.

Tools for Service




Ignition Tools and Handy Household Wrenches on Display Cards




A very handy assortment of tools used on ignition work. Consists of $\frac{1}{8}$ " x $\frac{17}{8}$ " midset screw driver with shock proof handle, ignition file, thickness gauge for spacing .006, .008, .010, .012, .021 and .025, and three stamped steel, carefully hardened, cadmium plated ignition wrenches mounted on black and red card as follows: Eisenmann and Remy-Wagner; Splitdorf, N. E. and Connecticut; Delco, Bosch-Simms, R. B. and S. E. V. Back of card gives breaker point and spark plug openings for popular cars.

No. 123—6 Piece Ignition Tool Set on Card...Price \$0.55
Weight $1\frac{3}{4}$ oz.

Three popular stamped steel, carefully hardened and cadmium plated ignition wrenches mounted on black and red display card as follows: Eisenmann and Remy-Wagner; Splitdorf, N. E., and Connecticut; Delco, Bosch-Simms, R. B. and S. E. V. Back of card gives breaker point and spark plug openings for popular cars.



No. 120—3 Piece Ignition Tool Set on Card...Price \$0.12
Weight $1\frac{1}{2}$ oz.



A three piece wrench set on attractive black and red display card. Very suitable for ignition work as well as many household uses. Consists of 3 popular sized stamped steel, hardened and cadmium plated open end wrenches as follows: $\frac{1}{4}$ " x $\frac{5}{16}$ ", $\frac{3}{8}$ " x $\frac{7}{16}$ " and $\frac{1}{2}$ " with alligator jaw.

No. 131—3 Piece Wrench Set on Card...Price \$0.12
Weight 1 oz.

One of our most popular ignition sets which will fit 95% of the ignition systems now in use. Same assortment of wrenches as Set No. 120 with addition of thickness gauge described under No. 123 and mounted on same type of card.



No. 121—4 Piece Ignition Tool Set on Card...Price \$0.22
Weight $1\frac{1}{4}$ oz.


Spring Grip Alligator Wrench



A most popular household wrench for general purpose use, refrigeration service, etc. Carefully hardened, cadmium plated and mounted on display card. Openings $\frac{1}{4}$ ", $\frac{5}{16}$ " and $\frac{3}{8}$ " hex., $\frac{1}{4}$ " square and alligator jaw to $\frac{5}{8}$ ".

No. 177—Universal Alligator Wrench...Price \$13.70 per C
Weight 25 lbs. per C

A five piece ignition wrench set that will serve 95% of the ignition purposes. Same assortment as above with the addition of high grade ignition file. Back of card furnishes data for proper spacing of ignition points and spark plug gaps on popular cars.



No. 122—5 Piece Ignition Tool Set on Card...Price \$0.32
Weight $1\frac{1}{4}$ oz.

PRINTED IN U.S.A.

N. KILDARE AVE. AT SCHUBERT


INDESTRO
MFG. CORP.

CHICAGO, U.S.A.

Tools for Service



Drawn Steel Spark Plug Wrenches




These cadmium plated wrenches are recommended for their thin walls, strong construction and low cost.

The list below covers wrenches for all popular types of spark plugs.

No.	Openings	Hex. Spark Plug Sizes	Price
701	53/64" x 29/32"	13/16" (14mm.) and 7/8" (18mm.)	\$0.21
702	29/32" x 1 1/32"	7/8" (18mm.) and 1" (18mm.)	.21
703	29/32" x 1 5/32"	7/8" and 1 1/8"	.21
704	31/32" x 1 5/32"	15/16" and 1 1/8"	.21

Weight each 10 oz.


Heavy Spark Plug Wrenches



Machined from solid bar steel stock, accurately broached to assure positive grip. Heat treated and hardened. Weight 1/2 lb.

No.	Wrench Openings	Hex. Spark Plug Sizes	Price
706	29/32" x 1 1/32"	7/8" and 1"	\$0.36
705	31/32" x 1 5/32"	15/16" and 1 1/8"	.36

Firing Cups



Firing cups used in connection with regular spark plugs will prevent the fouling of the plug in cylinders which are pumping oil. The firing cup forms an auxiliary firing chamber which not only keeps much of the oil and carbon off of the plug but also has a cleaning action. Both the metric and 7/8" are furnished with gaskets. They are finished in "gun-barrel" black and

are packed one dozen of one size in display carton with instructions for using. Weight, per doz., 2 lbs.

No. 51—Metric Size Firing Cups.....	Price Each \$0.20
No. 52—1/2" Size Firing Cups.....	Price Each \$0.20
No. 53—7/8" Size Firing Cups.....	Price Each \$0.20

Spark Plug Adaptors



Spark plug adaptors afford a very popular means of reducing the size spark plugs used on many older type motors to 14 mm. This permits faster cooling of the plug which automatically increases the efficiency of the motor. Furnished in three sizes only. Packed 1 doz. to carton. Nos. 55 and 57 with gasket.

No. 55—18 mm. to 14 mm.....	Price \$0.16
No. 56—1/2" to 14 mm.....	Price \$0.16
No. 57—7/8" to 14 mm.....	Price \$0.16

Weight, per doz., 1 lb.

Generator Brush Wrench




An extremely popular wrench with 15/32" and 5/16" openings for generator brush adjustment. Case hardened and tempered.

Weight, per doz., 1/4 lb.

No. 175—Generator Brush Wrench.....	Price \$0.10
-------------------------------------	--------------

12 Piece Ignition Set



A compact twelve piece ignition set in heavy pantasote roll case. Consists of nine stamped steel case hardened wrenches, a thickness gauge, file and "shock proof" screw driver.

No. 130-A—12 Pc. Ignition Set.....	Price \$0.80
	Weight 6 oz.


8 Piece Ignition Set

Where a smaller set than the above is desired, we offer an 8 piece combination of seven wrenches and a thickness gauge in leatherette roll case.



No. AX8—8 Pc. Ignition Set.....	Price \$0.45
	Weight 4 oz.

8 Piece Ignition Set



This set is very similar to that illustrated and described above but omits one wrench and includes a midget shock proof screw driver.

No. GM8—8 Piece Ignition Set.....	Price \$0.55
	Weight, 4 oz.

Handy Ignition Set



These three double end, heat treated, tempered and hardened wrenches are cadmium plated and held together with thumb screw and are marked for the systems they can be used upon. They fit Delco, Remy, Wagner, Eiseman, North-East, Connecticut, Splitdorf, Bosch, Simms, etc. Wt. per doz. 1 lb.

No. 137—Handy Ignition Set.....	Price \$0.20
---------------------------------	--------------

Thickness Gauge



Gauge made from special spring steel stock with thicknesses .025, .021, .012, .010, .08, .06. All plainly marked on outside leaf, mounted 12 on display card.

Weight 8 ozs.

No. 167—C12 Card of 12 Thickness Gauges	Price \$1.32
---	--------------

PRINTED IN U.S.A.

N. KILDARE AVE. AT SCHUBERT

INDESTRO
MFG. CORP.

CHICAGO, U.S.A.



Replacement Brake Bands

High
Grade
Lining
Properly
Applied



Accurately
Formed
Cheaper
Than
Relining

The bands listed below are made from high grade steel, accurately formed to replace the bands that came with the car. The lining is made special for us and is guaranteed to give excellent service.

No.	Car	Price Pair
812	Chevrolet 490-Superior 1923	\$1.80
813	Chevrolet Superior 1924	1.80
814	Chevrolet Model K 1925	1.80
815	Chevrolet 1926-7-8-V, VV, etc.	2.20
816	Chevrolet 1929 Rear only, external	2.30
Average Weight per Pair 5½ lbs.		

Brake Shoes for Ford "A"




These shoes are guaranteed perfect as to radius and will replace all Ford "A" Shoes. The semi-moulded lining has been selected for long wear as well as satisfactory service under all conditions. Packed 4 Shoes to set.

No. 810—Lined Shoes for Ford "A".....Price Each \$0.50
Weight 1½ lb.

No. 811—Unlined Shoes for Ford "A".....Price Each \$0.31
Weight 1 lb.

Tool Set for Replacing Brake Drums on Ford "A" "B" and "V8"



These three tools together with a vise and hammer are all the tools necessary to replace Ford "A", "B", "V8-18", and "V8-40" Brake Drums. They consist of solid punch, peening punch and hollow anvil to hold in vise for driving out rivets.

Weight 4½ lbs.

No. 880—Set Complete.....Price \$1.70

Grease Ram



The Indestro Grease Ram is made to do the work that heretofore required a high priced machine. It forces the grease through car joints that the ordinary gun will not open.

Made of high grade steel, and will withstand long and hard usage. One size for all cars. Simply remove Oiler or fitting from spring bolt, screw on the filled grease ram and strike with a hammer. Fitted with special nose for zerk fittings.

No. 725—Grease Ram.....Price \$0.50


Wt. 9 oz.

In No. 724 we offer a good grease ram which is not as high quality as one above that can be sold at a price. Has round knurled body as well as nose attachment for zerk fittings.

No. 724—Grease Ram.....Price \$0.34

Wt. 9 oz.

Universal Brake Lining Tool Set



A compact set of essential tools for relining brake shoes and bands. Consists of center punch for removing old rivets, two 1" C-clamps for holding lining in place, ¼" drill for moulded or woven lining, ⅜" countersink, anvil for holding in vise and riveting punch for curling tubular rivets. All tools heat treated and hardened. Packed in attractive, baked enamel steel box.

Weight 14 oz.

No. 821—Universal Brake Lining Tool Outfit Price \$1.20

Brake Lining Tool Set

Consists of four pieces, anvil for holding in vise, punch for riveting, countersink and drill. Just the thing for car owner to apply his own lining with.




No. 820—Brake Lining Tool Set in Fiber Box Price \$0.64
Weight ½ lb.

Tool for Alemite-Zerk Fittings

A handy tool for removing and replacing Alemite, Zerk and most any other type of grease and oil fittings. Includes a special tool steel tap for removing broken fittings and for re-threading damaged or worn threads. Heat treated, tempered and hardened. Cadmium plated finish. Packed in individual carton.


Weight ¼ lb.



No. 723—Tool for Alemite and Zerk Fittings Price \$0.45

Driving Punch for Grease Fittings

A very essential tool for inserting such grease fittings which are not the screw type. Opening at the end of the punch fits accurately over the nipple of the grease fitting. Made of Chrome Vanadium Steel, heat treated and hardened.




No. 2026—Driving Punch for Grease Fittings Price \$0.30
Weight 4 oz.

1 Inch Clamp

This heavy malleable iron clamp with 1" opening is particularly handy for use in relining brake bands and shoes. Also a very useful household item. Swivel washer permits easy turning. Cadmium plated finish.

No. 803—1" Clamp Price \$0.15
Weight 4 oz.



PRINTED IN U.S.A.

N. KILDARE AVE. AT SCHUBERT

INDESTRO
MFG. CORP.

CHICAGO, U.S.A.

Tools for Service



Small Ball Pein Hammers



A small Ball Pein or Machinist's Hammer for light or small work, used for light assembly work, household purposes, in candy stores, and many other purposes. Head is turned from solid steel bar. Steel handle, knurled, fitted tight in head; cannot come loose. Cadmium plated, rust proof. Well balanced. Three sizes and weights.

No. 1500—Length head, 17/8"; length over all, 7 1/2"; weight, 6 oz. Price \$0.18
 No. 1502—Length head, 2 3/8"; length over all, 8 1/2"; weight, 9 oz. Price .23
 No. 1504—Length head, 2 1/2"; length over all, 8 1/2"; weight, 10 oz. Price .25

Small Ball Pein Hammer With Screw Driver Handle



Small ball pein or machinist hammer for light work. Hardened head and handle, screw driver bit end of handle. Well plated. Length over all 8 1/2", length head 2 3/8", diameter of head 3/4".

No. 1506—Small Ball Pein Hammer with Screw Driver Handle Price \$0.25
 Wt. 8 oz.

Steel Pliers and Wire Cutters



Indestro Flat Nose Slip-Joint Steel Pliers are stamped from a special grade of steel, hardened to stand rough usage and will give long service. Just the item that you have been looking for; cheap in price but not in quality. Packed one dozen in attractive carton; one gross to shipping case. Finished in cadmium plate rust resisting. Weight 6 oz.

No. 3500—Steel Pliers Price \$0.16
 No. 3500B—Steel Pliers, Blue Steel Finish Price \$0.16


Steel Plumb Bob



This accurately milled from bar steel plumb bob is well balanced and will satisfactorily fill the general purpose for which it is intended. Nickel plated.

No. 219—Plumb Bob Price \$0.11
 Weight 8 oz.

Slide Handle Tap Wrenches




This tool is designed for holding taps, reamers, small drills or other small tools. Knurled chuck shell, sliding handle. Nickel plated and a finished tool in every respect.

No.	Capacity of Chuck	Length of Handle	Price Each
211	1/4"	3 1/2"	\$0.20
212	3/8"	4 1/4"	.24
213	1/2"	5"	.33

Wt. 2 oz., 4 oz., and 8 oz.

T-Handle Tap Wrenches



These are a good quality tool very similar to those illustrated and described above. They have a solid handle cross bar and are in natural steel finish.

No.	Capacity of Chuck	Length of Handle	Price Each
211B	1/4"	3 1/2"	\$0.13
212B	3/8"	4 1/4"	.16
213B	1/2"	5"	.24

Wt. 2 oz., 4 oz., and 8 oz.

Drill Holder

Designed for holding taps, drills, etc., up to 1/4", knurled chuck shell, T handle. Nickel plated.

No. 200 Price \$0.40
 Weight 6 oz.



Drill Holder For Electric Drills

Holds drills, etc., up to 1/4". Hardened jaws, nickel plated knurled chuck shell. 1/2" stem for use with electric drills. Nickel plated.

No. 201 Price \$0.40
 Weight 4 oz.



PRINTED IN U.S.A.

N. KILDARE AVE. AT SCHUBERT

INDESTRO
 MFG. CORP

CHICAGO, U.S.A.



Stampco Windshield Wiper




The main bar of this Wiper as well as other parts are of extra heavy construction and insures steady, even pressure against the glass at all times.

A sturdy brass bushing is furnished for closed type cars and a suitable clamp, cadmium plated, is furnished for all open type cars and can be easily attached to either type.

No. 90—Stampco Windshield Wiper with bracket for open cars Price \$0.34

No. 91—Stampco Windshield Wiper for closed cars only Price \$0.27

Security Oil Can Holder




For Auto, Truck, Tractor and Industrial equipment. These holders are made of heavy 18 gauge steel, baked japan finish. Will hold cans from 3" to 3½" base diameter.

No. 60 -- Security Oil Can Holder..... Each \$0.15

No. 61 -- Same as above, except it fastens under bolt head or nut..... Price, each \$0.15
Weight, Ea., 1 oz.


Popular Priced Oil Can Holder



This inexpensive Oil Can Holder designed to use on cowl or other up-right surface, will hold 3" or 3½" diameter oil cans. Weight 1 oz.

No. 62—Oil Can Holder. Price \$0.10


Dinging Hammer



The long head with polished faces on this drop forged hammer permits use in many places where the bumping hammer cannot be used. Weight, 1 lb.

No. 952—Dinging Hammer, 13 oz..... Price \$1.18

Fender and Body Repair Tools



These moderately priced fender repair tools will appeal both to the mechanic as well as car owner who does his own repairing.

No. 951 (A)—Drop Forged 10 oz. Bumping Hammer with select hickory handle..... Price \$1.02

No. 950 (A)—13 oz. Bumping Hammer with select hickory handle Price \$1.02


No. 954 (B)—Hickory Mallet. Useful on fenders or other painted surface where metal hammers should not be used. Weight, 1 lb..... Price \$0.60

No. 957 (C)—Small Double End Hand Dolly with two working surfaces. Weight, 1¾ lbs..... Price \$0.54

No. 958 (D)—Large Double End Hand Dolly with two surfaces similar to above, but larger. Weight, 2½ lbs. Price \$0.84


No. 955 (E)—Flat or Toe Dolly can be used in various corners or angles. Weight, 2½ lbs..... Price \$0.84

No. 960 (F)—Heel Dolly with mounted and flat faces for both corner and flat work. Weight, 2 lbs. Price \$0.78



No. 956—Utility Dolly with special shapes for fenders, doors, and panel work. Weight, 2½ lbs. Price \$1.02

Fender Repair Set



This handy repair set consists of three pieces, Hammer No. 950, Toe Dolly No. 955, and Heel Dolly No. 960, described above, packed in substantial carton. Weight, 6 lbs.

No. 990—Repair Set Price \$2.30

PRINTED IN U. S. A.

N. KILDARE AVE. AT SCHUBERT


INDESTRO
MFG. CORP.

CHICAGO, U. S. A.


Tools for Service



Grinding and Polishing Stands




These two polishing heads are identical except one has two straight spindles while the other has one straight spindle and one tapered spindle. Frame is close grained cast iron, finished in red japan. Bearings are accurately reamed with oil holes. Two Step Pulley on solid steel shaft.



No. 1553—Polishing Stand as illustrated Price \$0.94
No. 1554—Polishing Stand as illustrated with Chuck No. 224 Price \$1.24

No. 1555—Polishing Stand as illustrated Price \$0.94
No. 1556—Polishing Stand as illustrated with Chuck No. 224 Price \$1.24


Double Head Polishing Stand with Adjustable Bearings



This Double Head Polishing stand is the same high quality and construction as those shown above with the additional feature of adjustable bearings. It is equipped with flanges on both sides so that two emery wheels, polishing wheels, etc., can be used at one time. Chuck capacity up to $\frac{1}{4}$ ".

No. 1557—Double Head Polishing Stand with Chuck Price \$1.40
No. 1558—Double Head Polishing Stand without Chuck Price \$1.10
Packed in Individual Cartons Weight $2\frac{1}{2}$ lbs.

Arbor and Chuck



Arbor

This arbor is for ends of motors, flexible shafts, lathes, etc. It is made from solid bar steel, heavily plated and accurately machined so as to run true. Fits over any $\frac{1}{2}$ " shaft.

No. 1560—Arbor Price \$0.60
Weight, 10 oz.

Chuck

This chuck is designed for use with arbor shown above. Has $\frac{1}{2}$ "x24 thread and will take drills, etc., up to $\frac{1}{4}$ ".

No. 224—Chuck Only Price \$0.36
Weight, 4 oz.

Saw Table and Mitre Gauge




Table fits our Nos. 1557, and 1558 stands shown above. Made of steel, nickel plated, 8"x8" top. Complete with steel nickel plated mitre gauge and bolts for fastening to stand.

No. 1551 Price \$0.65
Weight $1\frac{1}{2}$ lbs.

PRINTED IN U. S. A.

N. KILDARE AVE. AT SCHUBERT


INDESTRO
MFG. CORP

CHICAGO, U. S. A.



Polishing Head with Complete Home Workshop Equipment

This outfit consists of our No. 1558 split adjustable bearing polishing head together with saw table and mitre gauge, 4" saw, 4" buffing wheel, 4" wire scratch brush, 4" grinding wheel and a bar of polishing compound. A very useful combination around any home or small workshop.




No. 1570—Polishing Head with complete Home Workshop Equipment..... **Price \$4.00**
Weight 7 lbs.

Individual Accessories

The following accessories can be used with any of our polishing stands or any polishing stand with $\frac{1}{2}$ " shaft.

No.	Description	Weight	Price
1581	4" Saw Blade	2 oz.	\$0.65
1582	4" Buffing Wheel	1 oz.	.20
1583	6" Buffing Wheel	1 oz.	.33
1584	4" Fine Wire Brush	3 oz.	.60
1585	6" Fine Wire Brush	5 oz.	.85
1586	4" Coarse Wire Brush	3 oz.	.45
1587	6" Coarse Wire Brush	5 oz.	.60
1588	4" Grinding Wheel (medium)	8 oz.	.45
1589	Polishing Compound	3 oz.	.20

Handy Household Kit



As a matter of convenience, we have assembled the above four pieces as a kit to be used with any of our polishing stands with $\frac{1}{2}$ " shaft. The outfit consists of:

- 1—4" Saw
- 1—4" Buffing Wheel
- 1—4" Wire Brush
- 1—4" Grinding Wheel
- 1—Bar of Polishing Compound

No. 1575—Handy Household Kit..... **Price \$1.75**
Packed in a substantial carton. *Weight, 3 lbs.*

PRINTED IN U. S. A.

N. KILDARE AVE. AT SCHUBERT


INDESTRO
MFG. CORP

CHICAGO, U. S. A.


Tools for Service



Small Vises—Clamp Type



No. 1561



No. 1562


The Indestro small vise has been so favorably accepted by mechanics that they hardly need any introduction. They are made from special close grained cast iron, have polished jaws and are finished handsomely in baked red japan. They are a necessity in the shop and very convenient around the home. The clamp type is readily moved from one bench to another and quickly attached.

**No. 1561—1 3/4" Jaws, for Very
Light Work**


Price \$0.90
Weight 2 lbs.

No. 1562—2 1/2" Jaws Price \$1.20
Weight 3 3/4 lbs.

Small Swivel Type Vises



No. 1564



No. 1566

These vises are made with swivel bases enabling the user to adjust them at a convenient angle with various types of work. They fasten permanently on the work bench by means of three bolts or screws. Very carefully machined, body made from close grained cast iron, screw, etc., machined from solid bar steel. Finished in baked red japan.

**No. 1564—Swivel Type Vise with
2 1/2" Jaws**

Price \$1.60
Weight 4 3/4 lbs.

**No. 1566—Swivel Type Vise with
3-in. Jaws**

Price \$2.50
Weight 9 lbs.

PRINTED IN U. S. A.

N. KILDARE AVE. AT SCHUBERT

INDESTRO
MFG. CORP

CHICAGO, U. S. A.



Speed Rim Tool



The Speed Rim Tool is easily operated, double acting and self-locking. One movement of the lever will unlock and contract or expand any split rim regardless of how rusty, from the smallest balloon size up to and including size 35 x 5.

No. 798—Speed Rim Tool.....Price \$1.50
Weight 6 lbs.

Locking License Plate Bolts



Large headed bolts with patented nut that locks. They require no washers. Cadmium plated rust proof. Furnished 100 bolts and nuts to the box or in sets of four mounted on display card.

No. 243—Self Locking License Plate Bolts
100 to the box. Wt. 2½ lbs.....Per 100 \$1.80
No. 244—Display Card of 4 License Plate
Bolts. Wt. 1 oz.....Per Card \$0.12


Door Prop

This ingenious device will hold the garage doors open firmly under any conditions. It is easily operated with the foot alone. Weight 1 lb.

No. 799—Pair with
Screws.....Price \$0.45



Handled Knife Sharpener




Has a green enameled wood handle making it very convenient. Discs are hardened and ground.

No. 216—Handle Knife Sharpener.....\$0.18
1 Dz. to Carton Wt. 4½ lbs.

Professional Drop Forged Horse Shoes

Regulation weight and size. Guaranteed not to splinter or chip. Packed one pair marked A or B to the carton.



No. 245—Horse Shoes. Wt. 5¾ lbs. Per Pr. \$1.40

Skimit

The automatic syphon for removing cream from top of milk bottles. The Skimit is in satisfactory use in thousands of modern homes. Made of aluminum, easily cleaned, and a very popular device wherever used. Packed in individual containers with directions.



No. 238--Skimit.....Price \$0.50
1 Dz. to Carton Wt. 2 lbs.

The "Whippit"

The WHIPPIT with the turbine blade, slotted baffle plate, and infolder, combine exclusive patented features not found in any other whips. Whips cream in less than one minute. It is so universally known and used that it hardly needs a description.

The sturdy construction, handsome appearance, and well known efficiency puts the WHIPPIT in a class by itself. Will whip in any bowl, and the infolder splash guard prevents splatter. Packed in individual containers.


No. 235--The "Whippit"
Price.....\$1.00
1 Dz. to Carton Wt. 12 lbs



Presto "T" Whip

A very efficient whip which has many of the desirable features of the Whippit although not quite as large or as fast. All metal frame and handle, heavily plated with red trim. Furnished in either single or double blade.

No. 236--Single Blade Presto
"T" Whip.....Price \$0.70
No. 237--Double Blade Presto
"T" Whip.....Price \$0.75
1 Dz. to Carton Weight per Dz. 8 lbs.



Knife Sharpener

Sharpens knives of all descriptions. Made of hardened steel discs, overlapping one another.



No. 215.....Price \$0.15
1 Dz. to Carton Wt. 5 lbs.

PRINTED IN U. S. A.

N. KILDARE AVE. AT SCHUBERT

INDESTRO
MFG. CORP

CHICAGO, U. S. A.

Tools for Service



Two New Improved Dunlap Whips

No. 232



Price \$0.85

No. 231

The IMPROVED DUNLAP WHIP with the "Little Brown Bowl" that a million housewives will testify is the best whip they ever used. The flexible steel blade with perforations, which has long been an outstanding feature of the DUNLAP WHIP, is now further improved by being made from STAINLESS STEEL, and is re-enforced, making it sturdier than ever. The entire whip comes apart easily for cleaning, making it perfectly sanitary.

Packed 1 dozen whips and bowls to the carton.

Shipping weight per dozen, 30 lbs.


No. 232

The No. 232 DUNLAP WHIP is similar to above, designed for use in any bowl, and has special construction so as to keep blade close to bottom of the utensil in which it is being used.

Packed in individual containers, one dozen to the shipping carton.

Shipping weight per dozen, 10 lbs.

No. 231



Price \$1.00

Bathing Girl Bottle Opener




Made of steel finely nickel plated. Made to carry in the pocket or on a key ring.

Beautiful bathing girl stamped on one side, other side stamped with your name and address or other wording if desired at small additional cost.

No. 208.....Per 1,000 \$30.00

Sure Seal Hand Capper




The capping head has a solid back and is fastened securely to a hardwood handle. It has special rubber cushion which absorbs shock, preventing breakage of bottles as well as caps sticking in head.

Weight 31 lbs. Per Gr.

No. 500—Sure Seal Hand Capper...Price \$0.09

The Famous "99" All Steel Capper




This universally used capper fills the requirement where economy and absolute reliability is required. Frame is stamped from a heavy gauge steel and constructed to insure maximum service.

Capping head is fitted with soft rubber cushion which automatically releases bottle after capping. *Weight 3 lbs.*

No. 99—All Steel Capper.....Price \$0.66

Heavy Cast Frame Capper



This is one of the most popular cast frame bottle cappers on the market. While the frame is cast from close grained gray iron, the rack, pinion and handle are all turned from carefully selected cold rolled steel. Pinion is equipped with friction ball to enable quick adjustment of the rack, or capping head. The capping head is also milled from bar steel and is of the popular friction type with double seal. Each capper is attractively finished in baked red enamel and fitted with rubber mat.

Weight, 5 lbs.

No. 1934—Popular Heavy Capper.....Price \$1.26

PRINTED IN U.S.A.

N. KILDARE AVE. AT SCHUBERT

INDESTRO
MFG. CORP


CHICAGO, U.S.A.



Die Cast Pulleys

Grooved – Flanged – Step – Crown Faced

Properly designed, accurately bored, well balanced die cast pulleys are recognized as the standard of efficiency as well as appearance. Quotations on special pulleys in quantities will be made upon receipt of specifications.



Grooved Pulleys


For $\frac{3}{8}$ " and $\frac{1}{2}$ " Belts

NOTE: Pulleys 6" diameter and larger will also take $\frac{5}{8}$ " belts.


No.	Running Diameter	Bores	Shipping Weight	Price
E340125	1 $\frac{1}{4}$ "	1 $\frac{1}{2}$ " , $\frac{5}{8}$ "	2 ozs.	\$0.21
E340150	1 $\frac{1}{2}$ "	1 $\frac{1}{2}$ " , $\frac{5}{8}$ "	3 ozs.	.21
E340175	1 $\frac{3}{4}$ "	1 $\frac{1}{2}$ " , $\frac{5}{8}$ "	3 ozs.	.22
E340200	2"	1 $\frac{1}{2}$ " , $\frac{5}{8}$ "	4 ozs.	.23
E340225	2 $\frac{1}{4}$ "	1 $\frac{1}{2}$ " , $\frac{5}{8}$ "	4 ozs.	.24
E340250	2 $\frac{1}{2}$ "	1 $\frac{1}{2}$ " , $\frac{5}{8}$ " , $\frac{3}{4}$ "	5 ozs.	.28
E340300	3"	1 $\frac{1}{2}$ " , $\frac{5}{8}$ " , $\frac{3}{4}$ "	6 ozs.	.31
E340400	4"	1 $\frac{1}{2}$ " , $\frac{5}{8}$ " , $\frac{3}{4}$ "	10 ozs.	.40
E340500	5"	1 $\frac{1}{2}$ " , $\frac{5}{8}$ " , $\frac{3}{4}$ "	12 ozs.	.50
E340650	6 $\frac{1}{2}$ "	1 $\frac{1}{2}$ " , $\frac{5}{8}$ " , $\frac{3}{4}$ "	1 $\frac{1}{2}$ lbs.	.75
E340800	8"	1 $\frac{1}{2}$ " , $\frac{5}{8}$ " , $\frac{3}{4}$ "	2 $\frac{1}{2}$ lbs.	1.00
E341000	10"	1 $\frac{1}{2}$ " , $\frac{5}{8}$ " , $\frac{3}{4}$ " , 1"	3 lbs.	1.50
E341200	12"	1 $\frac{1}{2}$ " , $\frac{5}{8}$ " , $\frac{3}{4}$ " , 1"	3 $\frac{3}{4}$ lbs.	1.80

Four Step Pulleys

For $\frac{3}{8}$ " and $\frac{1}{2}$ " Belts



No.	Running Diameter	Bores	Shipping Weight	Price
E341505	4" , 3 $\frac{1}{4}$ " , 2 $\frac{1}{2}$ " , 1 $\frac{3}{4}$ "	1 $\frac{1}{2}$ " , $\frac{5}{8}$ " , $\frac{3}{4}$ "	1 $\frac{1}{4}$ lbs.	\$0.65
E341506	5" , 3 $\frac{3}{4}$ " , 2 $\frac{3}{4}$ " , 1 $\frac{3}{4}$ "	1 $\frac{1}{2}$ " , $\frac{5}{8}$ " , $\frac{3}{4}$ "	1 $\frac{3}{4}$ lbs.	.85




Double Grooved Pulleys


For $\frac{1}{4}$ " Belt

No.	Running Diameter	Bores	Shipping Weight	Price
E341520	1 $\frac{3}{4}$ " , 1"	1 $\frac{1}{2}$ "	2 oz.	\$0.25
E341521	1 $\frac{3}{4}$ " , 1 $\frac{1}{4}$ "	1 $\frac{1}{2}$ "	3 oz.	.30

Crown Faced Pulleys



No.	Diam.	Face	Bores	Weight	Price
E341600	1 $\frac{1}{2}$ "	1 $\frac{3}{4}$ "	1 $\frac{1}{2}$ " , $\frac{5}{8}$ "	3 ozs.	\$0.25
E341602	2"	2"	1 $\frac{1}{2}$ " , $\frac{5}{8}$ " , $\frac{3}{4}$ "	6 ozs.	.30
E341603	2"	3"	1 $\frac{1}{2}$ " , $\frac{5}{8}$ " , $\frac{3}{4}$ "	12 ozs.	.45
E341605	2 $\frac{1}{2}$ "	2 $\frac{1}{2}$ "	1 $\frac{1}{2}$ " , $\frac{5}{8}$ " , $\frac{3}{4}$ "	3 $\frac{1}{2}$ lb.	.38
E341606	2 $\frac{1}{2}$ "	3"	1 $\frac{1}{2}$ " , $\frac{5}{8}$ " , $\frac{3}{4}$ "	1 lb.	.55
E341608	3"	1 $\frac{3}{4}$ "	1 $\frac{1}{2}$ " , $\frac{5}{8}$ " , $\frac{3}{4}$ "	10 ozs.	.35
E341611	3"	3"	1 $\frac{1}{2}$ " , $\frac{5}{8}$ " , $\frac{3}{4}$ "	1 $\frac{1}{2}$ lbs.	.60




Two Step Pulley

For $\frac{3}{8}$ " and $\frac{1}{2}$ " Belts

No.	Running Diameter	Bores	Shipping Weight	Price
E341500	2" , 2 $\frac{1}{2}$ "	1 $\frac{1}{2}$ " , $\frac{5}{8}$ "	8 ozs.	\$0.35

Flanged Pulleys



No.	Diam.	Face	Bores	Weight	Price
E341700	1 $\frac{1}{2}$ "	1 $\frac{1}{2}$ "	1 $\frac{1}{2}$ " , $\frac{5}{8}$ "	4 ozs.	\$0.28
E341702	2"	1 $\frac{1}{4}$ "	1 $\frac{1}{2}$ " , $\frac{5}{8}$ "	6 ozs.	.30
E341704	2 $\frac{1}{2}$ "	1 $\frac{1}{4}$ "	1 $\frac{1}{2}$ " , $\frac{5}{8}$ "	8 ozs.	.34
E341706	2 $\frac{3}{4}$ "	1 $\frac{1}{4}$ "	1 $\frac{1}{2}$ " , $\frac{5}{8}$ "	12 ozs.	.42
E341708	3"	1 $\frac{1}{4}$ "	1 $\frac{1}{2}$ " , $\frac{5}{8}$ "	12 ozs.	.45

Note: Be Sure to Specify Bore Wanted

PRINTED IN U.S.A.

N. KILDARE AVE. AT SCHUBERT


INDESTRO
MFG. CORP.

CHICAGO, U.S.A.

Tools for Service



Line Shaft Equipment—Belts—Accessories




Flexible Couplings

Furnished in various bores and combinations to meet every purpose. Specify bore or combinations required.

No.	Hub Size	Bores	O. D.	Shipping Weight	List Price
E341800	1"	1 1/2", 5/8"	1 7/8"	6 oz.	\$0.35
E341802	1 3/8"	1 1/2", 5/8", 3/4"	2 1/8"	10 oz.	.45
E341804	2"	3/4", 7/8", 1"	3 1/4"	2 1/2 lbs.	2.44
E341806	2 3/8"	1", 1 1/4"	4"	4 1/2 lbs.	3.15

Combination Bores

No.	Hub Size	Bores	Shipping Weight	List Price
E341812	1"	1 1/2" x 5/8"	6 oz.	\$0.35
E341813	1 3/8"	1 1/2" x 5/8"	10 oz.	.45
E341814	1 3/8"	1 1/2" x 3/4"	10 oz.	.45
E341815	1 3/8"	5/8" x 3/4"	10 oz.	.45



Rigid Couplings

Accurately machined from cold rolled steel and fitted with hardened set screws.

No.	Bore	Weight	Price
E311801	1/2"	5 oz.	\$0.26
E311802	3/4"	8 oz.	.46




Shafting Collars

Machined from cold rolled steel and fitted with hardened set screw.

No.	Bore	Weight	Price
E311901	1/2"	2 oz.	\$0.13
E311902	3/4"	4 oz.	.20

Polished Steel Shafting




No.	Diameter	Length	Weight	Price
E311702	1/2"	24"	1 1/2 lbs.	\$0.32
E311705	3/4"	48"	6 lbs.	1.21


Adjustable Line Shaft Hanger

The double adjustment in the base and head aligns shafting easily. Fitted with bronze bushings.

No.	Size	Weight	Price
E3120A	1/2"	1 lb.	\$1.25
E3121A	3/4"	1 1/4 lbs.	1.95



Jack Shaft



Fitted with 2 1/2" drive pulley and a four step pulley, sizes 1 3/4", 2 1/2", 3 1/4", and 4". Bronze bearings. Weight, 9 lbs.

No. E3110A—Jack Shaft.....Price \$3.58

"Super Quality" "V" Belts

Designed to give maximum service and long life.



No.	Length	Price	No.	Length	Price
E360124	24"	\$0.51	E360228	28"	\$0.52
E360131	31"	.51	E360233	33"	.52
E360134	34"	.51	E360237	37"	.52
E360143	43"	.65	E360244	44"	.65
E360160	60"	.78	E360248	48"	.65
E360168	68"	.91	E360256	56"	.78
			E360262	62"	.85
			E360277	77"	1.04
			E360292	92"	1.24

Average shipping weight for belts, 6 oz. each.

PRINTED IN U. S. A.

N. KILDARE AVE. AT SCHUBERT

INDESTRO
MFG. CORP.

CHICAGO, U. S. A.

DEPENDABLE TOOLS

Built for Service

INDESTRO MFG. CORP.



CABLE ADDRESS "INDESTRO" CHICAGO

KILDARE ♦ AT ♦ SCHUBERT
CHICAGO ♦ U. S. A.

TELEPHONE ALBANY 4008

January 28, 1935.

Paul Capito,
637 W. 21st St.,
Erie, Pa.

Dear Sir:-

Your interest in our line is very much appreciated as indicated on your recent post card and in compliance with your request, we are enclosing a copy of our 1935A catalog.

Yours very truly,

INDESTRO MFG. CORP.

M. L. Pettersen
Sales Department.

M. L. Pettersen:MP
A35*